



सत्यमेव जयते

File No: IA-J-11011/514/2022-IA-II(IND-I)  
Government of India  
Ministry of Environment, Forest and Climate Change  
IA Division

\*\*\*



Date 29/08/2023



To,

M/s SBF RAPID INDUSTRIES PRIVATE LIMITED  
WZ-106/61 G/F Rajouri Garden Extension Janak Puri New Delhi -110027, WZ-106/61 G/F Rajouri  
Garden Extension, NEW DELHI, DELHI, 110027  
E-mail: sbfrapid2022@gmail.com

**Subject:** Greenfield Project for Installation of Steel plant having production capacity of M.S Billets of 3,56,400 TPA with facility of two Induction furnace of 30 Ton each, Rolling Mill of 3,37,000 TPA for manufacturing of TMT Bar/Rolled Project/Structural Steel and Zinc Recovery Plant of capacity 6 TPD by M/s SBF Rapid Industries Private Limited, located at plot no. SP- 4-317, Karoli Industrial Area, Village: Karoli, Tehsil: Tijara, District-Alwar, Rajasthan – Grant of Environmental Clearance-regarding

Sir/Madam,

This refers to your proposal no. IA/RJ/IND1/432306/2023, dated 22.06.2023 along with copy of EIA report, Forms (Part A, B and C) and certified compliance report seeking Environment Clearance (EC) under the provisions of the EIA Notification, 2006 for the project mentioned above. The PP has submitted/uploaded ADS reply on Parivesh portal on dated 01.08.2023.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC23A1001RJ5370921N
(ii) File No.	IA-J-11011/514/2022-IA-II(IND-I)
(iii) Clearance Type	Fresh EC
(iv) Category	A
(v) Project/Activity Included Schedule No.	3(a) Metallurgical Industries (ferrous and non ferrous)
(vi) Sector	Industrial Projects - 1 Greenfield Project for Installation of Steel plant having production capacity of M.S Billets of 3,56,400 TPA with facility of two Induction furnace of 30 Ton each, Rolling Mill of 3,37,000 TPA for manufacturing of TMT Bar/Rolled
(vii) Name of Project	

	Project/Structural Steel and Zinc Recovery Plant of capacity 6 TPD
(viii) Name of Company/Organization	M/s SBF RAPID INDUSTRIES PRIVATE LIMITED
(ix) Location of Project (District, State)	ALWAR, RAJASTHAN
(x) Issuing Authority	MoEF&CC
(xi) Applicability of General Conditions as per EIA Notification, 2006	No

3. The proposed project activity is listed at S. No. **3(a) Metallurgical Industries (Ferrous and Non/ferrous) under Category “A”** of the schedule of the EIA Notification, 2006 and attracts general condition due to Interstate Boundary of Rajasthan – Haryana at a distance of 4.5 km and also the project lies in critically polluted area (CPA-Khushkhera), therefore, appraised at Central Level.

4. The instant Proposal was considered in the 39th EAC Meeting held during 6th – 7th July, 2023 wherein after detailed deliberations, the committee recommended the proposal for grant of Environment Clearance under the provisions of EIA Notification, 2006 subject to the stipulation of specific conditions (**Annexure-I**) and general conditions (**Annexure-II**). The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed at <https://parivesh.nic.in>

5. The details of the proposal are as per the EIA/EMP report submitted by the proponent. The salient features of the proposal as presented during the above-mentioned meetings of EAC (Industry 1 Sector) are at **Annexure-III**.

6. The Unit configuration and capacity of the proposed project is at **Annexure-IV**.

7. The EAC, in its meeting held during 6th – 7<sup>th</sup> July, 2023, inter-alia, deliberated the following:

i. The instant proposal is a Greenfield Project for Installation of Steel plant having production capacity of M.S Billets of 3,56,400 TPA with facility of two Induction furnace of 30 Ton each, Rolling Mill of 3,37,000 TPA for manufacturing of TMT Bar/Rolled Project/Structural Steel and Zinc Recovery Plant of capacity 6 TPD.

ii. The Commission for Air Quality Management in National Capital Region and Adjoining Areas is opinion that air pollution is generated in the reheating furnaces of the Steel rolling mills and therefore made compulsory the use of clean fuel to control air pollution and improve air quality. Commission has issued various direction in GNCTD & NCR to switch over on PNG/LSHS (Low Sulphur Heavy Stock) by 30.09.2022.

iii. The EAC, constituted under the provision of the EIA Notification, 2006 comprising Expert Members/domain experts in various fields, examined the proposal submitted by the Project Proponent in desired format along with EIA/EMP reports prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent.

iv. The EAC noted that the Project Proponent has given an undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the EIA/EMP reports. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

v. The Committee noted that the EIA reports are in compliance of the ToR issued for the project, reflecting the present environmental status and the projected scenario for all the environmental components. The Committee deliberated on the proposed mitigation measure towards Air, Water, Noise and Soil pollutions. The Committee suggested that the storage of toxic/explosive raw materials/products shall be undertaken with utmost precautions and following the safety norms and best practices.

- vi. The EAC noted that the instant project comes under Critically Polluted Area (CPA). PP has committed the proposed mitigation measures and also submitted detailed action plan as detailed in para 39.2.16 above. The EAC is of the opinion that the mitigation plans shall be strictly implemented.
- vii. The total project area is 6.22 ha which is a government land and has been allotted to M/s. SBF Rapid Industries Private limited from Rajasthan State Industrial Development and Investment Corporation Ltd (RIICO) vide letter no. 2985 on dated 21.11.2022. Land is already Industrial in nature.
- viii. The Sahibi River and other water bodies exists nearby of the project site. Also, there are other water bodies within the study area of 10 km of the project site. The EAC is of the opinion that water bodies shall not be disturbed. Mitigation measures w.r.t. safeguarding the water bodies shall be implemented.
- ix. The water requirement for the project is estimated as 95 m<sup>3</sup>/day, which will be met through 2 nos. borewells. NOC for Ground Water Abstraction has been obtained from CGWA vide NOC No. CGWA/NOC/IND/ORIG/2023/18305, dated 21.04.2023. Permission for use of treated water for greenbelt has been obtained from Bhiwadi Jal Pradushan Nivaran Association vide letter No. BJPNA/2022-23/46, dated 16.11.2022. The EAC deliberated on the water requirement and found is satisfactory.
- x. The Committee has deliberated on the baseline data and incremental GLC due to the proposed project and is of the opinion that PP shall strictly implement the mitigation measures as per the submitted action plans to minimise the pollution.
- xi. The PP has submitted that greenbelt will be developed in 2.49 ha which is about 40% of the total project area. Total no. of 6300 saplings will be planted and nurtured in 2.49 hectares. The EAC deliberated on the greenbelt action plan along with the budget earmarked and found is satisfactory.
- xii. The committee deliberated details of carbon foot prints and carbon sequestration study w.r.t. proposed project and found them to be satisfactory.
- xiii. The Committee also deliberated on the public hearing issues along with revised action plan submitted by the proponent to address the issues as per socio economic survey for development of nearby area and found it satisfactory.
- xiv. The EAC also deliberated on the submitted written representation of project proponent and found it satisfactory.
- xv. The EAC deliberated on the proposal with due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC found the proposal in order and recommended for grant of environmental clearance.
- xvi. The environmental clearance recommended to the project/activity is strictly under the provisions of the EIA Notification 2006 and its subsequent amendments. It does not tantamount/construe to approvals/consent/permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.
- xvii. The EAC also reviewed the EC conditions (specific and general) pertaining to Industry-I projects and observed that some of the specific conditions stipulated so far in the previously recommended EC projects are common and applicable to most of the projects in general. In view of the same, the General Conditions (in case of EC projects) have been revised through reallocation of these common conditions from specific to General Conditions (in case of EC projects). Accordingly, the instant project is also being stipulated with the modified

General conditions.

8. The EAC (Industry-1 Sector), in its 39<sup>th</sup> meeting held on July 6 - 7, 2023, based on information & clarifications provided by the project proponent and after detailed deliberations **recommended** the proposal for grant of Environment Clearance subject to stipulation of specific and general conditions as detailed in the point below.

9. The MoEF&CC has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the Expert Appraisal Committee (Industry-1 Sector) hereby decided to grant **Environment Clearance for instant proposal of M/s SBF Rapid Industries Private Limited** under the provisions of EIA Notification, 2006 subject to the following specific conditions (Anx-I) and general conditions (Anx-II).

10. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

11. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

12. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

13. The above conditions shall be enforced, *inter-alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

14. This issues with approval of the competent authority.

**(Dr. R. B. Lal)**  
**Scientist 'F'/Director**  
Tel: 011-20819346  
[Email-rb.lal@nic.in](mailto:Email-rb.lal@nic.in)

#### **Copy To**

1. The Principal Secretary, Environment & Forests Department, Government of Rajasthan, Secretariat, Jaipur (Rajasthan).
2. Principal Chief Conservator of Forests, (HOFF), Aranya Bhawan, MG Road, Jhalana Institutional Area, Jaipur, Rajasthan 302 004.
3. The Director General of Forest, Ministry of Environment, Forest and Climate Change, New Delhi.
4. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Jaipur, A-209 & 218, Aranya Bhawan, Mahatma Gandhi Road, Jhalana Institutional Area, Jaipur – 304002, Rajasthan.
5. The Member Secretary, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi - 32
6. The Member Secretary, Rajasthan State Pollution Control Board, 4, Jhalana Institutional Area, Jhalana Doongri, Jaipur (Rajasthan).
7. Member Secretary, Central Ground Water Authority, A2, W3 Curzon Road Barracks, K.G. Marg, New Delhi-110001.


8. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi.
9. District Collector, Alwar, Rajasthan.
10. Guard File/Monitoring File/ Parivesh Portal /Record File.

**Annexure 1**

**Additional EC Conditions**

The Specific and General EC conditions are attached herewith at Annexure.

**Annexure 2**




**A. Specific Condition:**

- i. The project proponent shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- ii. The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.
- iii. The PP shall strictly comply with the Direction issued by the Commission for Air Quality Management in National Region and Adjoining Areas.
- iv. In pursuance to MoEF&CC OMs dated 31st October, 2019 & 30th December, 2019 issued in compliance of the order of Hon'ble NGT in OA No. 1038/2018 dated 19th August, 2019, the compliance of all the conditions applicable to CEPI shall be implemented as per the submitted plan. PP shall strictly implement the Action Plan/Mitigation measures as prescribed for the CPA, as the Unit is located in CPA.
- v. The industry shall use CETP treated waste water for industrial processes to reduce the stress on Ground water resource as and when made available.
- vi. The water requirement of 95 m<sup>3</sup>/day to be met from ground water only after obtaining necessary permission from the Competent Authority. PP shall explore the possibility of shifting to alternative source of water to meet the water requirement needs.
- vii. The industry shall use PNG gas as per direction no. 64 of the Commission for Air Quality Management in National Region and Adjoining Areas by 30.09.2022.
- viii. The Sahibi River and other water bodies exists nearby of the project site. Also, there are other water bodies within the study area of 10 km of the project site. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented.
- ix. Three tier Green Belt shall be developed in at least 40% of the project area all along the project site (as per the submitted plan) of adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. PP shall also develop greenbelt in the form of shelter belt comprising of total of 6 rows of 2x2 m plantation with tall trees & broad leaves with thick canopy along with windshield inside the plant premises to act as green barrier for air pollution & noise levels towards nearby habitation. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF&CC.
- x. All the commitments made towards socio-economic development of the nearby villages shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's

OM dated 30.09.2020 amounting to Rs. 3 Crores shall be strictly implemented and progress shall be submitted to the Regional Office of MoEF&CC.

- xi. The PP shall adopt undertake village adoption programme, prepare and implement the action plan to develop them into model villages.



**B. General Conditions****I. Statutory compliance:**

- i. The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.
- ii. This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as 04 Nos. Continuous Ambient Air Quality Station (CAAQMS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
- iii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iv. Sampling facility at process stacks shall be provided as per CPCB guidelines for manual monitoring of emissions.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
- vii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- viii. Ensure covered transportation and conveying of raw material to prevent spillage and dust generation. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.



- ix. The project proponent shall provide primary and secondary fume extraction system at all heat treatment furnaces.
- x. Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.
- xi. Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.
- xii. Pollution control system in the plant shall be provided as per the CREP Guidelines of CPCB.
- xiii. The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.
- xiv. Bag filters shall be cleaned regularly and efficiency of bag filter system shall be monitored at regular intervals.
- xv. Water Sprinklers/Water mist system shall be installed near raw material yards, operational units and other strategic locations to control fugitive emissions from the plant.
- xvi. The particulate matter emissions from the process stacks shall be less than 30 mg/Nm<sup>3</sup> and measures shall be undertaken as per the submitted action plan. Efficient Air monitoring equipment shall be installed.
- xvii. Following additional arrangements to control fugitive dust shall be provided:
  - a. Fog / Mist Sprinklers at all on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas.
  - b. Proper covered vehicle shall be used while transport of materials.
  - c. Wheel washing mechanism shall be provided in entry and exit gates with complete recirculation system.
- xviii. Online stack monitoring system for IF and RHF shall be installed and monitoring report shall be submitted to the concerned Regional Office of the MoEF&CC along with the six monthly compliance report.
- xix. Low NO<sub>x</sub> Burners will be installed at Reheating Furnace for control of Gaseous emissions generated while using PNG.

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.

- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- iv. Water meters shall be provided at the inlet to all unit processes in the plants.
- v. The project proponent shall make efforts to minimise water consumption in the plant complex by segregation of used water, practicing cascade use and by recycling treated water.
- vi. The proposed project shall be designed as "Zero Liquid Discharge" Plant. ETP shall be installed and there shall be no discharge of effluent from the plant. Domestic effluent shall be treated in Sewage Treatment Plant. Suitable measures shall be adopted for sewage water handling to ensure no contamination of any kind of water body.
- vii. All stockyards shall have impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains and catch pits to trap the run off material and shall be implemented as per the action plan submitted in EIA/EMP report.
- viii. Rain water harvesting shall be implemented to recharge/harvest water as per the action plan submitted in the EIA/EMP report.
- ix. The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277 (E) 31st March 2012 (applicable to IF/EAF) as amended from time to time.

#### **IV. Noise monitoring and prevention**

- i. Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and amendments thereof, and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

#### **V. Energy Conservation measures**

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- ii. Provide LED lights in their offices and residential areas.
- iii. The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.
- iv. Practice hot charging of slabs and billets/blooms as far as possible.
- v. Ensure installation of regenerative type burners on all reheating furnaces.

## **VI. Waste management**

- i. Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil.
- ii. Kitchen waste shall be composted or converted to biogas for further use.
- iii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- iv. The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by the CPCB in this regard is available at <https://cpcb.nic.in/technical-guidelines-3/>. All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance report being submitted by the project proponents.
- v. A proper action plan must be implemented to dispose of the electronic waste generated in the industry.
- vi. Solid waste utilization
  - a. PP shall install a slag crusher to convert steel slag into aggregate for use in construction industry, fine sand for use as flux in steel plant, sand in brick making and as lime in cement making.
  - b. PP shall recycle/reuse solid waste generated in the plant as far as possible.
  - c. Used refractories shall be recycled as far as possible.

## **VII. Green Belt**

- i. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.
- ii. Project proponent shall submit a study report on Decarbonisation program, which would essentially consist of company's carbon emissions, carbon budgeting/balancing, carbon sequestration activities and carbon capture, use and storage and offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitor able with defined time frames.
- iii. Greening and Paving shall be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP. Safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained.

#### **IX. Environment Management**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt nearby villages based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Integrated Regional Office of the MoEF&CC.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition

to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. Action plan for developing connecting and internal road in terms of MSA as per IRC guidelines shall be implemented
- vi. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vii. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- viii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- x. The recommendations of the approved Site-Specific Wildlife Management Plan (in case of involvement of Schedule-I species) shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.
- xi. The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.
- xii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.

**ANNEXURE-III**

**Details of the proposal are as per the EIA/EMP report**

<b>S. No.</b>	<b>Particulars</b>	<b>Details</b>															
a.	Terms of Reference for undertaking EIA study	24.01.2021															
b.	Period of baseline data collection	Pre-Monsoon Season: December 2022 to February 2023															
c.	Date of Public Consultation	23.05.2023															
d.	Action plan to address the PH issues	Certain amounts have been earmarked for action plan. Detail of activities proposed attached as <b>Annexure V</b> .															
e.	Location of the project	Plot no. SP- 4-317, Karoli Industrial Area, Village: Karoli, Tehsil: Tijara, District-Alwar, Rajasthan															
f.	Latitude and Longitude of the project site	<table border="1"> <thead> <tr> <th><b>S. no</b></th> <th><b>Latitude</b></th> <th><b>Longitude</b></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>28°6'21.92"N</td> <td>76°47'34.18"E</td> </tr> <tr> <td>2</td> <td>28°6'21.90"N</td> <td>76°47'39.37"E</td> </tr> <tr> <td>3</td> <td>28°6'8.02"N</td> <td>76°47'39.72"E</td> </tr> <tr> <td>4</td> <td>28°6'8.01"N</td> <td>76°47'34.46"E</td> </tr> </tbody> </table>	<b>S. no</b>	<b>Latitude</b>	<b>Longitude</b>	1	28°6'21.92"N	76°47'34.18"E	2	28°6'21.90"N	76°47'39.37"E	3	28°6'8.02"N	76°47'39.72"E	4	28°6'8.01"N	76°47'34.46"E
<b>S. no</b>	<b>Latitude</b>	<b>Longitude</b>															
1	28°6'21.92"N	76°47'34.18"E															
2	28°6'21.90"N	76°47'39.37"E															
3	28°6'8.02"N	76°47'39.72"E															
4	28°6'8.01"N	76°47'34.46"E															
g.	Total land	6.22 ha [Govt land]															
h.	Land acquisition details as per MoEF&CC O.M. dated 7/10/2014	The land has been allotted to M/S SBF Rapid Industries Private limited from Rajasthan State Industrial Development and Investment Corporation Ltd (RIICO) vide letter no. 2985 on dated 21.11.2022															
i.	Existence of habitation & involvement of R&R, if any	Nil															
j.	Elevation of the project site	283 Meter above the sea level															
k.	Involvement of Forest land if any.	The proposed project does not involved/fall in any forest land.															
l.	Water body exists within the project site as well as study area	<p><b>Project Site – Nil</b></p> <p><b>Study Area</b></p> <table border="1"> <thead> <tr> <th>Water Body</th> <th>Distance</th> <th>Direction</th> </tr> </thead> <tbody> <tr> <td>Sahibi River</td> <td>4.2 km</td> <td>West</td> </tr> <tr> <td>Chaondi Nadi</td> <td>6.5 km</td> <td>South</td> </tr> </tbody> </table>	Water Body	Distance	Direction	Sahibi River	4.2 km	West	Chaondi Nadi	6.5 km	South						
Water Body	Distance	Direction															
Sahibi River	4.2 km	West															
Chaondi Nadi	6.5 km	South															
m.	Existence of ESZ / ESA / national park / wildlife Sanctuary / biosphere Reserve / tiger reserve / elephant reserve etc. if any within the study area	Nil															
n.	Project cost	The capital cost of the project is INR 150 Cr															
o.	EMP cost	The capital cost for environmental protection measures is proposed as INR 8.0 Cr. The annual recurring cost towards the environmental protection measures is proposed as Rs 1.72 Cr.															

S. No.	Particulars	Details
p.	Employment opportunity	The total employment generation from the proposed project is 400.
q.	Water and Power requirement	<p>The water requirement for the project is estimated as 95 m<sup>3</sup>/day, which will be met through 2 nos. bore-wells.</p> <p>The power requirement for the proposed project is estimated as 35 MW. The power will be sourced from Jaipur Vidyut Vitran Nigam Limited (JVVNL).</p>



**Unit configuration and capacity**

Facility	Configuration	Total Capacity
<b>Billets Production</b>		
Induction Furnaces	2 No. (+1 Crucible standby)	<b>3,56,400 TPA</b>
Melting Capacity of Induction Furnace	30 tonne each	
No of Heat per Day per Furnace	18	
Production capacity per day	1080 TPD	
No. of days operation per annum	330	
Installed Capacity Per annum	3,56,400 TPA	
Ladle refining furnace	Compatible	
VD Unit (Optional)	Compatible	
Compatible Continuous Casting facility	3,56,400 TPA	
<b>Rolling Mill</b>		
Production capacity per day	1021 TPD	<b>3,37,000 TPA</b>
No. of days operation per annum	330 days	
Installed Capacity Per annum	3,37,000 TPA	
<b>Zinc Recovery Plant</b>	6 TPD	



## Action plan as per MoEF&amp;CC O.M. F.No. 22-65/2017-IA.III, dated 30/09/2020:

S. No.	Issue Raised during PH	Physical activity and action plan	Budget	1 <sup>st</sup> Year	2 <sup>nd</sup> Year
1.	Adoption of village	<p>PP has proposed to adopt 1 village i.e. Kamalpur village. Formulate village development program under consultation with local Panchayat and district administration for need-based community development activities which would be in addition to the development plans being undertaken by state and central government.</p> <ol style="list-style-type: none"> <li>1. Development of smart class, distribution of benches, Fans, RO water System, Upgradation of sanitary facility, Distribution of IT gadgets, Printers, Computers in schools present in Kamalpur village.</li> <li>2. Installation of Solar light on streets.</li> <li>3. Upgradation of village roads.</li> <li>4. Plantation in Kamalpur Village.</li> <li>5. Upgradation of Medical facility.</li> <li>6. Upgradation of existing infrastructure in village,</li> </ol>	<p>A budget of <b>50 lakhs</b> has been proposed.</p> <ol style="list-style-type: none"> <li>1. A budget of Rs. 10 <b>Lakhs</b> has been proposed for providing Drinking water facility.</li> <li>2. A budget of Rs.5 <b>lakhs</b> has been proposed for Solar system to schools.</li> <li>3. A budget of Rs. 25 <b>lakhs</b> has been proposed for providing Medical Facility.</li> <li>4. A budget of <b>Rs. 10 lakhs</b> has been proposed for sports kits for kids and maintenance of playground.</li> </ol>	<b>30 Lakhs</b>	<b>20 Lakhs</b>
2.	Pollution control measure & Environment norms	<ol style="list-style-type: none"> <li>1. Tree Plantation will be developed in nearby villages (Karoli, Budhi Bawal, Maheshra &amp; Nasopur) in consultation with the authority.</li> <li>2. Water sprinkling on road for air dust dispersion controls in nearby villages (Karoli, Budhi Bawal, Maheshra &amp; Nasopur)</li> <li>3. Solar street lights will be provided in nearby vilages (Karoli, Budhi Bawal, Maheshra &amp; Nasopur).</li> </ol>	<p><b>100 Lakhs</b></p> <ol style="list-style-type: none"> <li>1. A budget of Rs <b>20.0 Lakhs</b> has been proposed for Development of green belt in nearby villages. 14000 numbers of trees will be planted.</li> <li>2. A budget of Rs. <b>10 lakhs</b> has been proposed for dust dispersion control measure.</li> <li>3. A budget of Rs. <b>30 lakhs</b> has been proposed for Solar street lights.</li> </ol>	<b>52 Lakhs</b>	<b>48 Lakhs</b>

S. No.	Issue Raised during PH	Physical activity and action plan	Budget	1 <sup>st</sup> Year	2 <sup>nd</sup> Year
1.	Adoption of village	<p>PP has proposed to adopt 1 village i.e. Kamalpur village. Formulate village development program under consultation with local Panchayat and district administration for need-based community development activities which would be in addition to the development plans being undertaken by state and central government.</p> <ol style="list-style-type: none"> <li>1. Development of smart class, distribution of benches, Fans, RO water System, Upgradation of sanitary facility, Distribution of IT gadgets, Printers, Computers in schools present in Kamalpur village.</li> <li>2. Installation of Solar light on streets.</li> <li>3. Upgradation of village roads.</li> <li>4. Plantation in Kamalpur Village.</li> <li>5. Upgradation of Medical facility.</li> <li>6. Upgradation of existing infrastructure in village,</li> </ol>	<p>A budget of <b>50 lakhs</b> has been proposed.</p> <ol style="list-style-type: none"> <li>1. A budget of Rs. 10 <b>Lakhs</b> has been proposed for providing Drinking water facility.</li> <li>2. A budget of Rs.5 <b>lakhs</b> has been proposed for Solar system to schools.</li> <li>3. A budget of Rs. 25 <b>lakhs</b> has been proposed for providing Medical Facility.</li> <li>4. A budget of <b>Rs. 10 lakhs</b> has been proposed for sports kits for kids and maintenance of playground.</li> </ol>	<b>30 Lakhs</b>	<b>20 Lakhs</b>
		Installation of 10 Air purifiers at 5 nearby schools	A budget of <b>Rs. 40 Lakhs</b> has been proposed for air purifier.		
3.	Infrastructure development in Locality & Villages	Company will develop the infrastructure, Playground, maintenance in schools (Govt Secondary School Nasopur, Govt Upper Primary School Rabarka, Government School Kamalpur) building in nearby villages (Karoli, Budhi Bawal, Maheshra & Nasopur) & school building.	<p><b>50 Lakhs</b></p> <p>4 Kitchen – 2 Lakhs</p> <p>400 Tables &amp; Chairs – 4 Lakhs</p> <p>40 Computer – 20 Lakhs</p> <p>20 Colour printer – 5 Lakhs</p>	<b>30 lakhs</b>	<b>20 lakhs</b>

S. No.	Issue Raised during PH	Physical activity and action plan	Budget	1 <sup>st</sup> Year	2 <sup>nd</sup> Year
1.	Adoption of village	<p>PP has proposed to adopt 1 village i.e. Kamalpur village. Formulate village development program under consultation with local Panchayat and district administration for need-based community development activities which would be in addition to the development plans being undertaken by state and central government.</p> <ol style="list-style-type: none"> <li>1. Development of smart class, distribution of benches, Fans, RO water System, Upgradation of sanitary facility, Distribution of IT gadgets, Printers, Computers in schools present in Kamalpur village.</li> <li>2. Installation of Solar light on streets.</li> <li>3. Upgradation of village roads.</li> <li>4. Plantation in Kamalpur Village.</li> <li>5. Upgradation of Medical facility.</li> <li>6. Upgradation of existing infrastructure in village,</li> </ol>	<p>A budget of <b>50 lakhs</b> has been proposed.</p> <ol style="list-style-type: none"> <li>1. A budget of Rs. 10 <b>Lakhs</b> has been proposed for providing Drinking water facility.</li> <li>2. A budget of Rs. <b>5 lakhs</b> has been proposed for Solar system to schools.</li> <li>3. A budget of Rs. <b>25 lakhs</b> has been proposed for providing Medical Facility.</li> <li>4. A budget of <b>Rs. 10 lakhs</b> has been proposed for sports kits for kids and maintenance of playground.</li> </ol>	<b>30 Lakhs</b>	<b>20 Lakhs</b>
			<p>Upgradation of sanitation facility – 5 Lakhs</p> <p>Construction and maintenance of play ground -14Lakhs</p>		
4.	Employment to local people	<p>Willing and employable youths will be identified in consultation with gram Panchayat of nearby villages (Karoli, Budhi Bawal, Maheshra &amp; Nasopur). They will be provided training for trades namely electrician, fitters, welders, painters, and civil construction work, etc. After successful completion of training, the youths will be offered employment in company in suitable grade.</p>	<p><b>15 Lakhs</b></p> <p>Stipend – 5 Lakh (12500/- stipend per year to 40 persons for 1 year)</p> <p>ITI Fee – 10 Lakhs (20000/- yearly fee for 50 persons)</p>	<b>10 Lakhs</b>	<b>5 Lakhs</b>

S. No.	Issue Raised during PH	Physical activity and action plan	Budget	1 <sup>st</sup> Year	2 <sup>nd</sup> Year
1.	Adoption of village	<p>PP has proposed to adopt 1 village i.e. Kamalpur village. Formulate village development program under consultation with local Panchayat and district administration for need-based community development activities which would be in addition to the development plans being undertaken by state and central government.</p> <ol style="list-style-type: none"> <li>1. Development of smart class, distribution of benches, Fans, RO water System, Upgradation of sanitary facility, Distribution of IT gadgets, Printers, Computers in schools present in Kamalpur village.</li> <li>2. Installation of Solar light on streets.</li> <li>3. Upgradation of village roads.</li> <li>4. Plantation in Kamalpur Village.</li> <li>5. Upgradation of Medical facility.</li> <li>6. Upgradation of existing infrastructure in village,</li> </ol>	<p>A budget of <b>50 lakhs</b> has been proposed.</p> <ol style="list-style-type: none"> <li>1. A budget of Rs. 10 <b>Lakhs</b> has been proposed for providing Drinking water facility.</li> <li>2. A budget of Rs.5 <b>lakhs</b> has been proposed for Solar system to schools.</li> <li>3. A budget of Rs. 25 <b>lakhs</b> has been proposed for providing Medical Facility.</li> <li>4. A budget of <b>Rs. 10 lakhs</b> has been proposed for sports kits for kids and maintenance of playground.</li> </ol>	<b>30 Lakhs</b>	<b>20 Lakhs</b>
5.	Road Development and maintenance work in Locality & Villages	<p>Company will construct the road in nearby villages (Karoli, Budhi Bawal, Maheshra &amp; Nasopur) Continuous maintenance work.</p>	<p><b>45 Lakhs</b></p> <p>Road development works in nearby villages in consultation with local authority.</p>	<b>25 lakhs</b>	<b>20 Lakhs-</b>
6.	Concern about health of local people	<p>Arrangement of Patient beds, oxygen cylinders, air purifiers and other medical facilities in Govt. Hospital Tapukara &amp; Government Hospital Near Industrial Area Kushkhera</p>	<p><b>40 Lakhs</b></p> <p>40 Patient Bed - 20 Lakhs</p> <p>400 O<sub>2</sub> Cylinder – 6 Lakh</p> <p>20 - Oxygen Concentrator – 10 Lakh</p>	<b>22 Lakhs</b>	<b>18 lakhs</b>

S. No.	Issue Raised during PH	Physical activity and action plan	Budget	1 <sup>st</sup> Year	2 <sup>nd</sup> Year
1.	Adoption of village	<p>PP has proposed to adopt 1 village i.e. Kamalpur village. Formulate village development program under consultation with local Panchayat and district administration for need-based community development activities which would be in addition to the development plans being undertaken by state and central government.</p> <ol style="list-style-type: none"> <li>1. Development of smart class, distribution of benches, Fans, RO water System, Upgradation of sanitary facility, Distribution of IT gadgets, Printers, Computers in schools present in Kamalpur village.</li> <li>2. Installation of Solar light on streets.</li> <li>3. Upgradation of village roads.</li> <li>4. Plantation in Kamalpur Village.</li> <li>5. Upgradation of Medical facility.</li> <li>6. Upgradation of existing infrastructure in village,</li> </ol>	<p>A budget of <b>50 lakhs</b> has been proposed.</p> <ol style="list-style-type: none"> <li>1. A budget of Rs. 10 <b>Lakhs</b> has been proposed for providing Drinking water facility.</li> <li>2. A budget of Rs. <b>5 lakhs</b> has been proposed for Solar system to schools.</li> <li>3. A budget of Rs. <b>25 lakhs</b> has been proposed for providing Medical Facility.</li> <li>4. A budget of <b>Rs. 10 lakhs</b> has been proposed for sports kits for kids and maintenance of playground.</li> </ol>	<b>30 Lakhs</b>	<b>20 Lakhs</b>
			<p>8 Air Purifier – 2 Lakh</p> <p>Sanitizer, stretcher, surgical gloves and Mask – 2 lakh</p>		
<b>Total</b>			<b>300 Lakhs</b>	<b>170 Lakhs</b>	<b>130 Lakhs</b>