

To,
Regional office,
Ministry of Environment, Forest and Climate Change
A-209 & 218, Aranya Bhawan, Mahatma Gandhi Road,
Jhalana Institutional Area, Jaipur, Rajasthan-302004

Date 19.06.2024

Sub: Six-monthly Compliance (June 2024) of the stipulated Environmental conditions/safeguards in the Environmental clearance letter and Environmental Monitoring Report for Expansion in the production capacity under Para 7 (ii) of EIA notification 2006 for enhancement in the production capacity of MS Billets from 1,32,000 TPA to 1,58,400 TPA & TMT Bars 2,00,000 TPA with existing facility of two induction furnace (20 MT each) and Reheating Furnace (30TPH) and Rolling Mill by M/s SBF Ispat Pvt. Ltd.

Ref: Environmental Clearance Letter No. File No. - IA-J-11011/29/2018-IA-II (IND-I) dated 16/03/2023

Dear Sir,

With reference to the Environmental Clearance granted to our above said project by State Level Environment Impact Assessment Authority, Rajasthan, we are herewith submitting point wise status of compliance of general and specific conditions of the EC letter in accordance with the provision of EIA notification 2006 and its amendment.

Following documents are attached herewith for your kind perusal:

1. Point-wise compliance of the stipulated environmental conditions/safeguards.
2. Environmental monitoring report along with other necessary permissions/documents.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted us. Details of Representative are as follows:

Name	Mr. Rajaram Yadav
Designation	CEO
Contact no.	9352884311
Email ID	Sbfispat2017@gmail.com

Thanking you,
Yours Sincerely,

For M/s SBF Ispat Pvt. Ltd.

(Authorized Signatory)

CC:

1. The Member Secretary, Rajasthan Pollution Control Board, 4, Jhalana Institutional Area, Jhalana Doongri, Jaipur, Rajasthan 302004.
2. The Member Secretary, State Level Environment Impact Assessment Authority, Aravali Bhawan, Jhalana, Institutional Area, Jaipur, Rajasthan-302004.

**POINTWISE COMPLIANCE OF STIPULATED
ENVIRONMENTAL CONDITIONS/ SAFEGUARDS IN THE
ENVIRONMENTAL CLEARANCE**

**EC Identification No. EC23A008RJ167160,
File No. - IA-J-11011/29/2018-IA-II(IND-I) dated 16/03/2023**

OF

**“Expansion in the production capacity under Para 7 (ii) of EIA
notification 2006 for enhancement in the production capacity of
MS Billets from 1,32000 TPA to 1,58,400 TPA & TMT Bars
2,00,000TPA with existing facility of two induction furnace (20
MT each) and Reheating Furnace (30TPH) and Rolling Mill**

AT

**PLOT F-109-117 & G-143-151, VILL.- TAPUKARA, TEHSIL-
TIJARA , DIST.- ALWAR, RAJASTHAN**

FOR

JUNE 2024

BY

M/S SBF ISPAT PVT. LTD

COMPLIANCE

REPORT

**HALF-YEARLY COMPLIANCE OF STIPULATED ENVIRONMENTAL
CONDITIONS/ SAFEGUARDS IN THE ENVIRONMENTAL CLEARANCE**

EC Identification No. EC23A008RJ167160,

File No. - IA-J-11011/29/2018-IA-II (IND-I) dated 16/03/2023- Annexure-I

“Expansion in the production capacity under Para 7 (ii) of EIA notification 2006 for enhancement in the production capacity of MS Billets from 1,32000 TPA to 1,58,400 TPA & TMT Bars 2,00,000TPA with existing facility of two induction furnace (20 MT each) and Reheating Furnace (30TPH) and Rolling Mill”

BY

M/S SBF ISPAT PVT. LTD

S. No.	Conditions	Status of Compliance
PART A - SPECIFIC CONDITIONS :		
i.	The existing environmental clearance granted by the by SEIAA, Rajasthan Vide File No- F1 (4)/ SEIAA/ SEAC-Raj/ Sectt/ Project/Cat.7 (d) B1 (15541)/2018-19, dated 01.04.2019 shall also remain active and the project proponent shall comply with all the terms and conditions mentioned in the EC dated 01.04.2019.	Agreed. We are complying all the conditions mentioned in the EC dated 01.04.2019.
ii.	The project proponent shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Agreed. We are implementing all the recommendation given in EIA/EMP report in respect of environmental management and risk mitigation measures related to project.
iii.	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.	Agreed. We will submit along with next compliance Report.

For SBF ISPAT PVT. LTD.


iv.	In pursuance to MoEF&CC OMs dated 31 st October, 2019 & 30 th December, 2019 issued in compliance of the order of Hon'ble NGT in OA No. 1038/2018 dated 19th August, 2019, the compliance of all the conditions applicable to CEPI shall be implemented. Greenbelt shall be planned in 40% of the project area. CER allocation shall be 1.5 times of the normal calculated amount.	Agreed. Greenbelt photos are attached as Annexure-II .
v.	Water requirement of 40 m ³ /day shall be sourced from ground water as proposed after obtaining necessary permission from the Competent Authority. However, PP shall explore the possibility of shifting to alternate source of water to reduce dependency on groundwater.	Agreed and being complied. Total existing Water requirement is 40 m ³ /day and is being sourced from ground water. NOC for Ground Water extraction has been obtained vide letter no. CGWA/NOC/IND/REN/2023/7635 dated 13.02.2023 valid upto 12.02.2025. No additional water will be required for the proposed expansion. Copy of NoC is attached as Annexure-III .
vi.	Following additional arrangements to control fugitive dust shall be provided: Fog/Mist Sprinklers at all conveyors point and on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas. Proper covered vehicle shall be used while transport of materials. Wheel Washing mechanism shall be provided in entry and exit gates with complete recirculation system.	Agreed and is being complied.
vii.	All internal road and connecting road from project site to main highway shall be developed and maintained with suitable Million Axle Standard (MSA) as per the traffic load due to existing and proposed project.	Agreed and is being complied. Project site located in RIICO industrial area which is well connected to highways.
viii.	All stockyards shall be having impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains to trap the run off material.	Agreed and is being complied.
ix.	Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Regional Office of the MoEF&CC.	Agreed and is being complied.

x.	Particulate matter emission from stacks shall be less than 30 mg/Nm ³ . Action plan submitted to limit the dust emission shall be strictly implemented.	The emission from each of the induction furnaces will be controlled by providing a fume extraction system with bag filters for each unit and then discharge into the atmosphere through one combined stack of 30m height. The outlet dust emission from the stack will be less than 30mg/nm ³ . Whenever APC unit occur fails, the production the unit will be stopped till the air emission control system is operational. The APC unit will be interlocked with the induction furnace.
xi.	CEMS shall be provided on all process stacks and the signal shall be received in plant control room for central control of APCDs installed in the plant.	Agreed & complied. CEMS already install in the plant.
xii.	85-90% of billets shall be rolled directly in hot stage. RHF shall operate using only Light Diesel Oil as a fuel.	Agreed and will be complied.
xiii.	<p>Solid waste utilization</p> <p>a. PP shall install a slag crusher to convert steel slag into aggregate for use in construction industry, fine sand for use as flux in steel plant, sand in brick making and as lime in cement making.</p> <p>b. PP shall recycle/reuse 100% solid waste generated in the plant.</p> <p>c. Used refractories shall be recycled as far as possible.</p>	Agreed and being complied.
xiv.	Sahibi River (5.71 km – WSW) and Chaundi Nadi (6.81 km – S) are flowing within 10 Km. radius of the plant site. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple erosion control measures shall be implemented.	<p>The domestic sewage which will be generated from domestic usage is being treated in the existing STP of 12 KLD capacity and the treated water is being used in greenbelt development and dust suppression.</p> <p>Waste water from industrial unit will be treated in settling tank with Oil/Water separator & skimmer. Continuous monitoring of effluent quality/quantity in large and medium red category industries to be followed.</p> <p>There will be no effluent generation as the proposed plant will adopt zero liquid discharge (ZLD).</p>

[Signature]
 Authority Signatory


xv.	The proposed project shall be designed as "Zero Liquid Discharge" Plant. ETP shall be installed and there shall be no discharge of effluent from the plant. Domestic effluent shall be treated in Sewage Treatment Plant. MSW waste shall be treated in digester and recovered gas shall be used in the canteen.	The domestic sewage which will be generated from domestic usage is being treated in the existing STP of 12 KLD capacity and the treated water will be used in greenbelt development and dust suppression. Waste water from industrial unit is being treated in settling tank with Oil/Water separator & skimmer. Continuous monitoring of effluent quality/quantity in large and medium red category industries to be followed. There will be no effluent generation as the proposed plant will adopt zero liquid discharge (ZLD).
xvi.	The company shall also undertake rain water harvesting measures as per the plan submitted in the EIA/EMP report and reduce water dependence from the outside source.	Agreed. Rainwater harvesting deals with collection, storage and usage of rainwater from roof tops and land surfaces. The rainwater is being properly utilized by adopting appropriate rainwater harvesting mechanism. Rooftop runoff is being collected and sent to rainwater collection tank.
xvii.	The nearest habitation to plant is Tapukara village located at 2.21 km away from the project site boundary in the NE direction. Project Proponent shall take appropriate environmental safeguard measures to minimise the impact on the habitation of the locals. The company shall also include this location in its environmental monitoring programme.	Agreed and being complied.
xviii.	PP shall undertake village adoption and formulate Village Adoption program consisting of need based community development activities, to develop them into model villages.	Agreed and being complied.
xix	A proper action plan must be implemented to dispose of the electronic waste generated in the industry.	Agreed.
xx	Three tier Green Belt shall be developed in at least 40% of the project area in a timeframe of one year with native species all along the periphery of the project site of adequate width and tree density shall not be	Agreed and being complied. Total green area provided as per earlier granted EC is 33.23% of total project area i.e. 1.07 ha. Total no of trees to be planted as per EC

	less than 2500 per ha. Gap filling shall be undertaken and survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF&CC.	=2500 * 1.07 = 2675No's We are developing additional greenbelt of 0.21 ha for expansion project. Hence total green area after expansion is 1.28 ha (40% of the total plot area). Undertaking for tree plantation & green development planning is attached as Annexure-IV and photographs of greenbelt is attached as Annexure-II .
xxi	Greening and Paving shall be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.	Agreed and being complied.
xxii	Action Plan for firefighting system including provision for flame detectors, temperature actuated heat detectors with alarms, automatic sprinkler system, fixing the location of fire water tanks, separate power system for firefighting, involvement of qualified and trained fire personnel, nearest fire station & time required to reach the proposed site shall be prepared and implemented.	Agreed and being complied.
xxiii	All the commitments made to the public during the Public Hearing/Public Consultation shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's OM dated 30.09.2020 shall be strictly implemented and progress shall be submitted to the Regional Office of MoEF&CC.	For the expansion part public hearing was not applicable. However, we are following all the commitment made during public hearing for existing part of the project.
xxiv	The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by the CPCB in this regard is available at https://cpcb.nic.in/technicalguidelines- 3/ . All the project proponents are hereby requested to sensitize and create awareness among people working within the Project	Agreed. All applicable norms is being Followed. For SBF ISPAT PVT. LTD.


 Auth Signatory

	area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance report being submitted by the project proponents.	
xxv	The project proponent shall adopt the Clean Air practices like mechanical collectors, wet Scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.	The emission from each of the induction furnaces is being controlled by providing a fume extraction system with bag filters for each unit and then discharge into the atmosphere through one combined stack of 30m height. The outlet dust emission from the stack is less than 30mg/nm ³ .
B. General conditions:		
I. Statutory compliance:		
i.	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.	Agreed. Consent to Establish obtained from RSPCB vide File No. F(HDF)/Alwar(Tijara)/7018(1)/2023-2024/2206-2208 dated 06.07.2023 and CTO is also obtained. Copy of CTE & CTO is attached as Annexure-V .
II.	Air quality monitoring and preservation	
i.	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as two Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected	Agreed and is being complied. CEMS are installed at project site.

For SBF ISPAT PVT. LTD.


 Auth Signatory

	to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	
ii.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Agreed and being complied. Fugitive emission for existing project is being monitored. Details are given in Annexure-VI . We are following the same practice for expansion.
iii.	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	Agreed and being complied. Appropriate Air Pollution Control (APC) system is being followed for all the dust generating points including fugitive dust and the same is sufficient for expansion.
iv.	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Agreed.
v.	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration.	Agreed.
vi.	The project proponent shall ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation.	Agreed and being complied. All the raw material is being transported through covered trucks and regular water sprinkling is being done on the truck route regularly for additional facilities also.
vii.	Plant internal roads shall be concreted and a vacuum cleaner shall be used to regularly clean the roads.	Agreed and complied.
viii.	The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.	Agreed and complied. Primary and secondary fume extraction system with bag filter is provided for induction Furnace.
ix.	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.	Agreed. Plant/Process design is made keeping the said condition.
III.	Water quality monitoring and preservation	


i.	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Agreed.
ii.	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post-monsoon) at sufficient numbers of piezometers/ sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.	Agreed and source of water for current project is ground water. The ground water of nearby area is being monitored twice a year by NABL accredited lab. Latest ground water quality results nearby project site done by NABL accredited is attached as Annexure-VII .
iii.	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	Agreed and complied. STP is already installed at project site. The sewage is being treated in STP. Treated water is being reused same will be followed for expansion. Photographs of STP is attached as Annexure-VIII .
iv.	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	Agreed.
IV.	Noise monitoring and prevention	
i.	Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Agreed and Ambient Noise & Source Noise Monitoring Reports is being done by NABL accredited. Latest noise monitoring results is attached as Annexure-VII .
V.	Energy Conservation measures	
i.	Energy conservation measures may be adopted such as adoption of solar energy and provision of LED lights etc., to minimize the energy consumption.	Agreed and expansion plant/Process is designed keeping the said condition. The stipulated conditions is being complied by the project proponent.
VI.	Waste management	
i.	Used refractories shall be recycled as far as possible.	Agreed.
ii.	Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried,	Agreed.

	and briquetted and reused in melting Furnaces.	
iii.	Kitchen waste shall be composted or converted to biogas for further use.	Agreed.
VII	Green Belt	
i.	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.	Agreed and greenbelt is developed keeping the said condition. The stipulated condition is being compiled.
ii.	Project proponent shall submit a study report on Decarbonisation program, which would essentially consist of company's carbon emissions, carbon budgeting/balancing, carbon sequestration activities and carbon offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitorable with defined time frames", when PP comes for EC proposal. This study shall be formulated keeping in view of India's Net-zero commitment at the COP-26 Climate Summit.	Agreed and will be submit along with next compliance report.
VIII.	Public hearing and Human health issues	
i.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Agreed and Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan has been prepared and is being followed. Copy enclosed as Annexure-IX .
ii.	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE).	Agreed.
iii.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	Agreed and Occupational health surveillance of workers is being carried out on regular basis. Copy of medical checkup of workers is enclosed as Annexure-X .
IX.	Environment Management	
i.	The project proponent shall comply with the provisions contained in this Ministry's OM	Agreed and is being complied. Details of CER done as per OM Vide F.No. 22

	vide F.No. 22-65/2017-IA.III dated 30/09/2020.	65/2017-IA.1. dated 30/09/2020 by company is enclosed as Annexure-XI .
ii.	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/ violation of the environmental/forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements /deviation/ violation of the environmental/forest/wildlife norms/ conditions and/ or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	The company shall have a well laid down Agreed and company have a well laid down environmental policy duly approved by board of directors. Copy of environmental policy is enclosed as Annexure-XII .
iii.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Agreed and complied with.
X.	Miscellaneous	
i.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Agreed and environmental clearance granted for their project along with the environmental conditions and safeguards is advertised in local newspapers. Copy of advertisement is enclosed as Annexure-XIII .
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Agreed and complied. The copies of EC was submitted to local bodies, Panchayat. Acknowledgement copy of the same is enclosed as Annexure-XIV .
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Agreed.

iv.	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Agreed and latest air quality monitoring reports are enclosed as Annexure-VII .
v.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Agreed and this report is being submitted in compliance to this point.
vi.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Agreed.
vii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Agreed.
viii.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Agreed.
ix.	The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.	Agreed.

For SBF ISPAT PVT. LTD.


Auth. Signatory

x.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Agreed and no further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
xi.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data /information/monitoring reports.	Noted.
9.	The Ministry reserves the right to stipulate additional conditions, if found necessary at Subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	Noted.
10.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.	Noted.
11.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
12.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted.

For SBF ISPAT PVT. LTD

Auth. Signatory

ENVIRONMENTAL
CLEARANCE

Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The CEO
SBF ISPAT PVT. LTD.
WZ 106/80, Rajori Garden Ext. Delhi,,Alwar,Rajasthan-302021

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/RJ/IND1/408549/2022 dated 20 Jan 2023. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|---|
| 1. EC Identification No. | EC23A008RJ167160 |
| 2. File No. | IA-J-11011/29/2018-IA-II(IND-I) |
| 3. Project Type | Expansion |
| 4. Category | A |
| 5. Project/Activity including Schedule No. | 3(a) Metallurgical industries (ferrous & non ferrous) |
| 6. Name of Project | Expansion in the production capacity under Para 7 (ii) of EIA notification 2006 for enhancement in the production capacity of MS Billets from 1,32000 TPA to 1,58,400 TPA & TMT Bars 2,00,000 TPA with existing facility of two induction furnace (20 MT each) and Reheating Furnace (30TPH) and Rolling Mill at Plot No. F-109-117 & G-143-151 (Karoli Industrial Area), Village Tapukara, Tehsil Tijara, District Alwar, Rajasthan by M/s. SBF Ispat Private Limited. |
| 7. Name of Company/Organization | SBF ISPAT PVT. LTD. |
| 8. Location of Project | Rajasthan |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 16/03/2023

(e-signed)
Dr. R. B. Lal
Scientist F
IA - (Industrial Projects - 1 sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environment Single-Window Hub)



F. No. IA-J-11011/29/2018-IA-II(IND-I)
Government of India
Ministry of Environment, Forest and Climate Change
(I.A. Division – Industry I sector)

Indira Paryavaran Bhawan
Vayu Wing, 3rd Floor,
Jor Bagh Road, Aliganj,
New Delhi – 110003

Dated: 16th March, 2023

To,

M/s SBF Ispat Private Limited.
WZ 106/80, Rajori Garden Ext. Delhi,
Delhi West – 302 021
Email: sbfispat2017@gmail.com

Project: Expansion in the production capacity of MS Billets from 1,32,000 TPA to 1,58,400 TPA & TMT Bars 2,00,000 TPA with existing facility of two induction furnace (20 MT each) and Reheating Furnace (30TPH) and Rolling Mill by M/s. SBF Ispat Private Limited at Plot No. F-109-117 & G-143-151 (Karoli Industrial Area), Village Tapukara, Tehsil Tijara, District Alwar, Rajasthan – Grant of Environmental Clearance under para 7(ii) of EIA Notification, 2006 in pursuance to the Ministry's O.M. dated 11.04.2022 regarding.

Sir,

This refers to your proposal no. IA/RJ/IND1/408549/2022, dated 20.01.2023 along with copy of EIA/EMP Report, Form-1 & Certified compliance report seeking **Environment Clearance (EC)** under para 7(ii) (a) of the EIA Notification, 2006 for the project mentioned above. Further, The PP has uploaded the written submission on Parivesh Portal on 16.02.2023.

2. The proposed project activity is listed at schedule no. 3 (a) Metallurgical industries (ferrous & non-ferrous) & 1(d) Thermal Power Plants under Category "B" of the schedule of the EIA Notification, 2006 and general condition is applicable as Rajasthan SPCB has notified Bhiwadi as Critically Polluted Area (CPA) vide Letter No. CPCB/ IPC/ CEPI/ Rajasthan/ Action plan/ 8050 dt 12.10.2020, and the project site is falling within 5km i.e. 1.38 km (N) from Kushkera CEPI boundary and therefore the proposal being appraised at Central Level as Category 'A'.

3. The instant Proposal was considered and recommended in the 22nd meeting of Expert Appraisal Committee (Industry-1 Sector) held during 30th – 31st January, 2023. The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed at <https://parivesh.nic.in>

4. The details of the proposal are as per the EIA/EMP report submitted by the proponent. The salient features of the proposal as presented during the above-mentioned meetings of EAC (Industry 1 Sector) are as under: -

S. No.	Particulars	Details submitted by PP
a.	Terms of Reference for undertaking EIA study	The proposal is under para 7(ii) of EIA Notification, 2006 in pursuance to the Ministry's O.M. dated 11.04.2022



S. No.	Particulars	Details submitted by PP										
b.	Period of baseline data collection	March to May 2022										
c.	Date of Public Consultation	Earlier PH was conducted on 31.07.2018. at present the instant proposal is under para 7(ii) of EIA Notification, 2006 in pursuance to the Ministry's O.M. dated 11.04.2022										
d.	Action plan to address the PH issues	An amounts of Rs 10 Lakhs have been earmarked to address the issues raised during public hearing. Detail of activities proposed attached as Annexure 1 .										
e.	Location of the project	Village Tapukara, Tehsil Tijara, District Alwar, Rajasthan										
f.	Latitude and Longitude of the project site	<table border="1"> <thead> <tr> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>29°5'53.38"N</td> <td>76°48'44.51"E</td> </tr> <tr> <td>28°5'49.50"N</td> <td>76°48'43.22"E</td> </tr> <tr> <td>28°5'49.68"N</td> <td>76°48'33.36"E</td> </tr> <tr> <td>28°5'53.38"N</td> <td>76°48'34.09"E</td> </tr> </tbody> </table>	Latitude	Longitude	29°5'53.38"N	76°48'44.51"E	28°5'49.50"N	76°48'43.22"E	28°5'49.68"N	76°48'33.36"E	28°5'53.38"N	76°48'34.09"E
Latitude	Longitude											
29°5'53.38"N	76°48'44.51"E											
28°5'49.50"N	76°48'43.22"E											
28°5'49.68"N	76°48'33.36"E											
28°5'53.38"N	76°48'34.09"E											
g.	Total land	3.22 Ha No additional land will be required for the proposed expansion as it is proposed within the existing facility. This unit got the land allotted by the RIICO										
h.	Land acquisition details as per MoEF&CC O.M. dated 7/10/2014	Land is under the possession of M/s SBF Ispat Pvt. Ltd.										
i.	Existence of habitation & involvement of R&R, if any	Nil Nearest habitation: Tapukara- 2.21 km, NE										
j.	Elevation of the project site	269 Meter AMSL										
k.	Involvement of Forest land if any.	No Forest Land is involved.										
l.	Water body exists within the project site as well as study area	Project Site – Nil Study Area Chaundi Nadi-6.81 km towards South Sahibi River-5.71 km towards WSW										
m.	Existence of ESZ / ESA / national park / wildlife Sanctuary / biosphere Reserve / tiger reserve / elephant reserve etc. if any within the study area	Project area: Nil List of Reserved and protected forests: Khorī Kalan P.F- 4.76 km –ENE Banvan P.F.- 4.88 km – NE Godhan PF. – 8.77 km – NE										
n.	Project cost	Existing capital cost of project was Rs. 85.3052 Crores. The capital cost of the proposed facilities is Nil. Thus total project cost after expansion remain the same as Rs. 85.3052 Crores.										
o.	EMP cost	The capital cost for environmental management after expansion of project is estimated to be Rs. 245 lakhs. Rs. 41 lakhs per year is required as annual recurring expenses to meet the recurring expenditure for implementing the measures										

S. No.	Particulars	Details submitted by PP
p.	Employment opportunity	The employment generation from the existing project is 200 Nos and for the proposed expansion there will not be any additional employment.
q.	Water and Power requirement	Total existing Water requirement is 40 m ³ /day and is being sourced from ground water. NOC for Ground Water extraction has been obtained vide letter no. CGWA/NOC/IND/ORIG/2021/11564 dated 13.02.2021. No additional water will be required for the proposed expansion. Existing power requirement is 15 MW power and 7MW additionally will be required for the proposed expansion of the project and will be sourced from JVVNL supply. 2 x 500 kVA DG set is already installed to be used during emergency power failure.

Unit configuration and capacity:

Description	Existing (As Per EC Granted)	Proposed expansion Configuration	Final capacity/ Configuration
Unit			
Induction Furnace	2 x 20 Tonne	No Change	2 x 20 Tonne
Continuous Casting Machine (4/7 radius)	2 Strand	No Change	2 Strand
Reheating Furnace	30 Tonne	No Change	30 Tonne
Rolling Mill	2,00,000 TPA	No Change	2,00,000 TPA
Product			
M.S Billets	1,32,000 TPA	26,400 TPA	1,58,400 TPA
TMT Bars & Rolled Product	2,00,000 TPA	No Change	2,00,000 TPA

6. The EAC, in its meeting held during 30th – 31st January, 2023, inter-alia, deliberated the following:

- i. The instant proposal is for expansion in production capacity of MS billets from 1,32,000 TPA to 1,58,400 TPA & Rolling Mill for manufacturing of TMT Bars 2,00,000 TPA within existing facility of two induction furnace (20 Tonne each) with Reheating Furnace (30TPH).
- ii. The proposal falls under Category “B” of the schedule of the EIA Notification, 2006, however, general condition is applicable as Rajasthan SPCB has notified Bhiwadi as Critically Polluted Area (CPA) vide Letter No. CPCB/ IPC/ CEPI/ Rajasthan/ Action plan/ 8050 dt 12.10.2020, and the project site is falling within 5 km i.e. 1.38 km (N) from Kushkera CEPI boundary and therefore the proposal being appraised at Central Level as Category ‘A’.
- iii. The EAC, constituted under the provision of the EIA Notification, 2006 comprising Expert Members/domain experts in various fields, examined the proposal submitted by the Project Proponent in desired format along with addendum to the EIA/EMP reports prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent.

- iv. The EAC noted that the Project Proponent has given an undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the reports. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.
- v. The EAC deliberated on the justification provided by the Project Proponent for appraisal of instant proposal under para 7(ii) of EIA Notification, 2006 in pursuance to the Ministry's O.M. dated 11.04.2022 and found it satisfactory. EAC is of the view that the instant project is qualifying the criteria mentioned in the Ministry's OM dated 11.04.2022 and accordingly appraise the project under expansion category.
- vi. The existing project was accorded environmental clearance by SEIAA, Rajasthan Vide File No-F1(4)/SEIAA/SEAC-Raj/Sectt/Project/Cat.7(d) B1 (15541)/2018-19, dated 01.04.2019 to produce 1, 32,000 TPA of M.S. Billets and 2,00,000 TPA TMT bar per annum by using two 20 tonne induction furnace and rolling mill. Consent to Operate for the existing unit was accorded by RSPCB vide F (HDF)/Alwar (Tijara)/6874(1)/2021-2022/3924-3944 dated 16.11.2021, which is valid till 30.09.2026.
- vii. The total project area is 3.22 ha. Land has been allotted on lease basis for 90 years from Rajasthan State Industrial Development and Investment Corporation Ltd (RIICO) and under the possession of the company. No additional land is required for proposed expansion project.
- viii. The nearest habitation to plant is Tapukara village located at 2.21 km away from the project site boundary in the NE direction.
- ix. Total existing Water requirement is 40 m³/day and is being sourced from ground water. No additional water will be required for the proposed expansion.
- x. Sahibi River (5.71 km – WSW) and Chaundi Nadi (6.81 km – S) are flowing within 10 Km. radius of the plant site. The EAC is of the opinion that water bodies shall not be disturbed. Mitigation measures w.r.t. safeguarding the water bodies shall be implemented.
- xi. The Committee deliberated on the baseline data previously collected (March to May, 2018) at the time of EC dated 01.04.2019 and the fresh baseline data collected (March to May, 2022) during the instant application and observed that though the collected data shows the values beyond the NAAQ standards for some of the parameters in both the cases, however, there is decline in the values of the parameters in the baseline data of March to May, 2022 as compared to baseline data of March to May, 2018. Also, since the project falls under CPA, the monitored values are on higher side. Accordingly, the EAC deliberated on pollution load assessment reported by PP/Consultant and found it satisfactory. Considering the same, the proposal is appraised under para 7(ii)(a) of EIA Notification, 2006.
- xii. The EAC noted that total green area provided as per earlier granted EC is 33.23% of total project area i.e. 1.07 ha. Total 2675 no of trees to be planted as per EC. PP has already Planted 2000 trees. PP will further develop additional green belt of 0.21 ha for expansion project. Hence total green area after expansion will be 1.28 ha (40% of the total plot area). Thus total trees to be planted after expansion will be 1200.

- xiii. The committee deliberated details of carbon foot prints and carbon sequestration study w.r.t. proposed project and found them to be satisfactory.
- xiv. The Committee deliberated upon the certified compliance report of IRO, MoEFCC and found it satisfactory.
- xv. The Committee also deliberated on the earlier public hearing issues along with status of compliance of action plan submitted by the proponent to address the issues raised during the public hearing and is of the opinion that project proponent shall strictly comply with the targets and timelines of the action plan.
- xvi. The EAC deliberated on the proposal with due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC found the proposal in order and recommended for grant of environmental clearance.
- xvii. The environmental clearance recommended to the project/activity is strictly under the provisions of the EIA Notification 2006 and its subsequent amendments. It does not tantamount/construe to approvals/consent/permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

7. The EAC (Industry-1 Sector), in its 22nd meeting held on January 30 - 31, 2023, based on information & clarifications provided by the project proponent and after detailed deliberations **recommended** the proposal for grant of Environment Clearance subject to stipulation of specific and general conditions as detailed in the point below.

8. The MoEF&CC has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the Expert Appraisal Committee (Industry-1 Sector) hereby decided to grant **Environment Clearance for instant proposal of M/s SBF Ispat Private Limited** under the provisions of EIA Notification, 2006 subject to the following specific conditions and general conditions:

A. Specific Condition:

- i. The existing environmental clearance granted by the by SEIAA, Rajasthan Vide File No-F1(4)/SEIAA/SEAC-Raj/Sectt/Project/Cat.7(d) B1 (15541)/2018-19, dated 01.04.2019 shall also remain active and the project proponent shall comply with all the terms and conditions mentioned in the EC dated 01.04.2019.
- ii. The project proponent shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- iii. The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.

- iv. In pursuance to MoEF&CC OMs dated 31st October, 2019 & 30th December, 2019 issued in compliance of the order of Hon'ble NGT in OA No. 1038/2018 dated 19th August, 2019, the compliance of all the conditions applicable to CEPI shall be implemented. Greenbelt shall be planned in 40% of the project area. CER allocation shall be 1.5 times of the normal calculated amount.
- v. Water requirement of 40 m³/day shall be sourced from ground water as proposed after obtaining necessary permission from the Competent Authority. However, PP shall explore the possibility of shifting to alternate source of water to reduce dependency on groundwater.
- vi. Following additional arrangements to control fugitive dust shall be provided:
- Fog / Mist Sprinklers at all conveyors point and on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas.
 - Proper covered vehicle shall be used while transport of materials.
 - Wheel Washing mechanism shall be provided in entry and exit gates with complete recirculation system.
- vii. All internal road and connecting road from project site to main highway shall be developed and maintained with suitable Million Axle Standard (MSA) as per the traffic load due to existing and proposed project.
- viii. All stockyards shall be having impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains to trap the run off material.
- ix. Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Regional Office of the MoEF&CC.
- x. Particulate matter emission from stacks shall be less than 30 mg/Nm³. Action plan submitted to limit the dust emission shall be strictly implemented.
- xi. CEMS shall be provided on all process stacks and the signal shall be received in plant control room for central control of APCDs installed in the plant
- xii. 85-90 % of billets shall be rolled directly in hot stage. RHF shall operate using only Light Diesel Oil as a fuel.
- xiii. Solid waste utilization
- PP shall install a slag crusher to convert steel slag into aggregate for use in construction industry, fine sand for use as flux in steel plant, sand in brick making and as lime in cement making.
 - PP shall recycle/reuse 100 % solid waste generated in the plant.
 - Used refractories shall be recycled as far as possible.
- xiv. Sahibi River (5.71 km – WSW) and Chaundi Nadi (6.81 km – S) are flowing within 10 Km. radius of the plant site. A robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented.
- xv. The proposed project shall be designed as "Zero Liquid Discharge" Plant. ETP shall be installed and there shall be no discharge of effluent from the plant. Domestic effluent shall be treated in Sewage Treatment Plant. MSW waste shall be treated in digester and recovered gas shall be used in the canteen.
- xvi. The company shall also undertake rain water harvesting measures as per the plan submitted in the EIA/EMP report and reduce water dependence from the outside source.

- xvii. The nearest habitation to plant is Tapukara village located at 2.21 km away from the project site boundary in the NE direction. Project Proponent shall take appropriate environmental safeguard measures to minimise the impact on the habitation of the locals. The company shall also include this location in its environmental monitoring programme.
- xviii. PP shall undertake village adoption and formulate Village Adoption program consisting of need-based community development activities, to develop them into model villages.
- xix. A proper action plan must be implemented to dispose of the electronic waste generated in the industry.
- xx. Three tier Green Belt shall be developed in at least 40% of the project area in a timeframe of one year with native species all along the periphery of the project site of adequate width and tree density shall not be less than 2500 per ha. Gap filling shall be undertaken and survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF&CC.
- xxi. Greening and Paving shall be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.
- xxii. Action Plan for firefighting system including provision for flame detectors, temperature actuated heat detectors with alarms, automatic sprinkler system, fixing the location of fire water tanks, separate power system for firefighting, involvement of qualified and trained fire personnel, nearest fire station & time required to reach the proposed site shall be prepared and implemented.
- xxiii. All the commitments made to the public during the Public Hearing/Public Consultation shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's OM dated 30.09.2020 shall be strictly implemented and progress shall be submitted to the Regional Office of MoEF&CC.
- xxiv. The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by the CPCB in this regard is available at <https://cpcb.nic.in/technical-guidelines-3/>. All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance report being submitted by the project proponents.
- xxv. The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.

B. General conditions:

I. Statutory compliance:

- i. The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not

tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.

II. Air quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as two Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iii. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- iv. The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
- v. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration.
- vi. The project proponent shall ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation.
- vii. Plant internal roads shall be concreted and a vacuum cleaner shall be used to regularly clean the roads.
- viii. The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.
- ix. Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.

III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.

- iv. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.

IV. Noise monitoring and prevention

- i. Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.

V. Energy Conservation measures

- i. Energy conservation measures may be adopted such as adoption of solar energy and provision of LED lights etc., to minimize the energy consumption.

VI. Waste management

- i. Used refractories shall be recycled as far as possible.
- ii. Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused in melting Furnaces.
- iii. Kitchen waste shall be composted or converted to biogas for further use.

VII. Green Belt

- i. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.
- ii. Project proponent shall submit a study report on Decarbonisation program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitorable with defined time frames", when PP comes for EC proposal. This study shall be formulated keeping in view of India's Net-zero commitment at the COP-26 Climate Summit.

VIII. Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE).
- iii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained.

IX. Environment Management

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020.

- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.

X. Miscellaneous

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- ix. The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.
- x. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).

- xi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
9. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.
10. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
11. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
12. The above conditions shall be enforced, *inter-alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
13. This issues with approval of the competent authority.




(Dr. R. B. Lal)
Scientist 'F'/Director
Tel: 011-20819346
Email-rb.lal@nic.in


Encl. as above at Annexure –I

Copy to: -

1. The Principal Secretary, Environment & Forests Department, Government of Rajasthan, Secretariat, Jaipur (Rajasthan).
2. Principal Chief Conservator of Forests, (HOFF), Aranya Bhawan, MG Road, Jhalana Institutional Area, Jaipur, Rajasthan 302 004.
3. The Director General of Forest, Ministry of Environment, Forest and Climate Change, New Delhi.
4. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Jaipur, A-209 & 218, Aranya Bhawan, Mahatma Gandhi Road, Jhalana Institutional Area, Jaipur – 304002, Rajasthan.
5. The Member Secretary, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi - 32
6. The Member Secretary, Rajasthan State Pollution Control Board, 4, Jhalana Institutional Area, Jhalana Doongri, Jaipur (Rajasthan).



7. The Member Secretary, Central Ground Water Authority, Jamnagar House, 18/11, Man Singh Road Area, New Delhi 110001.
8. Monitoring Cell, IA Division, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi.
9. District Collector, Alwar District, Rajasthan.
10. Guard File/Monitoring File/ Parivesh Portal /Record File



(Dr. R. B. Lal)
Scientist 'F'/Director
Tel: 011-20819346
[Email-rb.lal@nic.in](mailto:rb.lal@nic.in)



Table: Action plan as per MoEF&CC O.M. dated 30/09/2020

S. No	Activity Head	Activity Sub-Head	Activities Details	Budget Cost (in lacs)
1	Skill developments	Vocational skills	Opening of various vocational skills like sewing centers for women, promoting short vocational skills development programs like electricians, ETT, solar etc. for rural youth	1.0
		Soft skills	Organizing Various Programs for Rural Youth to Development Soft Skills like Confidence, Commitment, Communication Skills, Personality Developments Etc.	1.0
2	Educational developments	Basic educations	Providing Infrastructure in Govt. Schools like Furniture, Mats, Electricals, Painting, Building Repairs & Scholarships to Needy Students & Teachers for Sports and Music etc.	2.0
		Value based education	Organizing Various Programs in Govt. Schools & Villages to Provide Value Based Education to become Useful Citizens for Society.	2.0
3	Hygiene & Health and environmental awareness developments	Hygiene & health	Organizing Awareness Camps of Swachh Bharat, Cleaning Drives, Nukad Plays, Medical Camps, Blood/Organ Donation Camps, Yoga Camps, Health is Wealth Camps Etc.	1.5
		Environment	Tree Plantations, Water Conservation Programs, Chemical Free Farming, Importance of Fruiting Trees, Village Pond Cleaning Drives, Solid Waste Management Programs Etc.	1.5
4	Administrative expenses on CER activities			1.0
Total				10.0

Green Belt Photographs

Annexure-II





भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	Sbf Ispat Pvt Ltd		
Project Address:	Riico Industrial Area Karoli,, F-109-117, G- 143-151, Village Tapukara,, Tehsil Tizara, District Alwar, Rajasthan		
Village:	Tapookra (ct)	Block:	Tijara
District:	Alwar	State:	Rajasthan
Pin Code:			
Communication Address:	Wz 106/80, Rajori Garden Extension, Behind Cambridge School, New Delhi,, , New Delhi, Delhi - 110027		
Address of CGWB Regional Office :	Central Ground Water Board Western Region, 6-a, Jhalana Doongri, Jaipur, Rajasthan - 302004		

1. NOC No.:	CGWA/NOC/IND/REN/1/2023/7635	2. Date of Issuance	19/04/2023									
3. Application No.:	21-4/9391/RJ/IND/2018	4. Category: (GWRE 2020)	Over Exploited									
5. Project Status:	Existing Ground Water	6. NOC Type:	Renewal									
7. Valid from:	13/02/2023	8. Valid up to:	12/02/2025									
9. Ground Water Abstraction Permitted:												
	Fresh Water		Saline Water									
	Dewatering		Total									
	m ³ /day	m ³ /year	m ³ /day									
	m ³ /day	m ³ /year	m ³ /day									
	40.00	12000.00										
10. Details of ground water abstraction /Dewatering structures												
	Total Existing No.:1						Total Proposed No.:0					
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
Abstraction Structure*	0	0	1	0	0	0	0	0	0	0	0	0
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit;MPu-Mine Pumps												
11. Ground Water Abstraction/Restoration Charges paid (Rs.):	100080.00											
12. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.	No. of Piezometers						Monitoring Mechanism					
							Manual	DWLR**	DWLR With Telemetry			
**DWLR - Digital Water Level Recorder	1						1	0	0			

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m³/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions:

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCE list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m³/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

SBF ISPAT PRIVATE LIMITED

Plot No. F 109-117 & G 143-151 General Zone Industrial Area,
KAROLI, Tapukara Distt. Alwar (Rajasthan)-301707

Contact No. : 9352884311, 9810510396 Email : sbfispatt2017@gmail.com
GSTIN : 08AAOCS6177P1Z2

Annexure-IV

Ref. No. :

Dated :

Date: 19-01-2023

UNDERTAKING

I, **Raja Ram Yadav (Authorized signatory)** of M/s SBF Ispat Pvt. Ltd. having its registered office at WZ - 106/80, Rajori Garden Extension Behind Cambridge School, New Delhi-110027 empowered and competent to swear this undertaking :-

- That we, M/s SBF Ispat Pvt. Ltd. have proposed Expansion under para 7 (ii)(a) as per EIA Notification, 2006 in production capacity of MS billets from 1,32,000 TPA to 1,58,400 TPA & TMT Bars 2,00,000 TPA within existing facility of two induction furnace (20 Tonne each) and Rolling Mill with Reheating Furnace (30TPH) located at plat no. F-109 - 117 & G-143-151 (Karoli Industrial Area) village- Tapukara, Tehsil- Tijara, District- Alwar, Rajasthan.
- That, we will develop additional greenbelt of 0.21 ha for expansion project, which will be total (existing + proposed) 1.28 ha (40% of the total plot area).
- That, we will develop total 1200 (675 no. for existing + 525 no. for proposed) no. of trees within site premises as per CPCB norms.

For M/s SBF Ispat Pvt. Ltd.


Raja Ram Yadav
Authorized signatory





Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

**Registered**

File No : F(HDF)/Alwar(Tijara)/7018(1)/2023-2024/2206-2208

Order No : 2023-2024/HDF/9390

Dispatch Date: Jul 6 2023 3:40PM

Unit Id : 90765

M/s SBF ISPAT PRIVATE LIMITED**WZ 106/80, Rajori Garden Extension, BEhind****Cambridge School, New Delhi , NewDelhi****District:New Delhi**

Sub: Consent to Establish under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21(4) of Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your application(s) for Consent to Establish dated 30/03/2023 and subsequent correspondence.

Sir,

Consent to Establish under the provisions of Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, (hereinafter to be referred as the Air Act) as amended to date and rules & the orders issued thereunder **is hereby granted** for your **SBF ISPAT PRIVATE LIMITED plant** situated / proposed at **F-109-117 G-143-151 RIICO Industrial Area KARoli Bhiwadi TAPUKARA INDUSTRIAL AREA , Karoli Tehsil:Tijara District:Alwar** , Rajasthan under the provisions of the said Act(s). This consent is granted on the basis of examination of the information furnished by you in consent application(s) and the documents submitted therewith, subject to the following conditions:-

- 1 That this Consent to Establish is valid for a period from **30/03/2023 to 29/02/2028 or date of commencement of production / commissioning of the project or activities whichever is earlier .**
- 2 That this Consent is granted for manufacturing / producing following products / by products or carrying out the following activities or operation/processes or providing following services with capacities given below:

Particular	Type	Quantity / Capacity
M.S BILLETS/ M.S. TMT BAR	Product	26,400.00 TPA

- 3 That in case of any increase in capacity or addition / modification / alteration or change in product mix or process or raw material or fuel, the project proponent is required to obtain fresh consent to establish.





Head Office (HDF)
Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

Registered

File No : F(HDF)/Alwar(Tijara)/7018(1)/2023-2024/2206-2208

Order No : 2023-2024/HDF/9390

Dispatch Date: Jul 6 2023 3:40PM

Unit Id : 90765

- 4 That the control equipment as proposed by the applicant shall be installed before trial operation is started for which prior consent to operate under the provision of the **Water Act and Air Act** shall be obtained. This consent to establish shall not be treated as consent to operate.
- 5 That the consent to establish is valid for increase in production of MS Billets/ TMT Bars from 132,000TPA to 158,400TPA i.e. 26,400TPA from existing machinery as mentioned in the Consent to Operate issued vide Order no. 2021-2022/HDF/8793 dated 16.11.2021. The industry has to seek fresh consent to establish & operate for any change in product/byproduct/ process/ modification/ alteration.
- 6 That the industry shall comply with all the conditions of Environmental Clearance (E.C.) issued by Ministry of Environment, Forest and Climate Change (MoEF&CC) vide letter dated 16.03.2023 (EC Identification No.: EC23A008RJ167160).
- 7 That installation of Reheating Furnace for reheating of M.S. Ingots/ Billets or metal surface treatment process such as pickling /plating /electroplating/paint stripping/ anodizing/ galvanizing etc. shall not be carried out without prior consent to establish & operate from the State Board.
- 8 That total capital cost as per the C.A. certificate submitted by the unit is Rs. 1343 Lacs which includes the cost of Building & Plant & Machinery.
- 9 That the industry shall upgrade the existing pollution control measures, if required, so as to achieve particulate matter emissions less than 30 mg/Nm³ as prescribed in the Environmental Clearance.
- 10 That total water consumption entire plant shall not exceed to 40 KLD[Existing-40KLD& Expansion-0KLD] (domestic use-11 KLD and industrial use-29 KLD) and same shall be met from ground water(40KLD).
- 11 That there shall be no change or increase in total water consumption or waste water generation under this expansion.
- 12 The industry shall submit copy of renewed NOC/Permission from CGWA for abstraction of ground water upto 40 KLD as soon as received and comply with all the conditions NOC/Permission granted by the CGWA.
- 13 That no treated/untreated waste water (trade effluent) shall be discharged inside & outside the factory premises in any case and complete zero discharge status shall be maintained.
- 14 That there shall be no increase in sources of air emissions under this expansion.
- 15 That industry shall provide adequate air pollution control measures at all the sources of air emission/furnaces to achieve the prescribed standards/norms.





Head Office (HDF)

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004

Phone: 0141-5159600,5159695

Registered

File No : F(HDF)/Alwar(Tijara)/7018(1)/2023-2024/2206-2208

Order No : 2023-2024/HDF/9390

Dispatch Date: Jul 6 2023 3:40PM

Unit Id : 90765

- 16 That no additional source of Air/Water pollution shall be installed without prior consent to establish from the State Board.
- 17 That unit shall adhere to stringent air pollutants standards i.e. 80% of existing process emission standards in the CPA and 90% of existing process emission standards in case of SPA.
- 18 That only cleaner fuel such as PNG, CNG or LPG etc. will be used as fuel in boilers, thermic fluid heaters, furnaces and other utilities, if any.
- 19 That unit shall provide continuous emission CEMS (as per the CPCB guidelines) on all process stacks and the signal shall be received in plant control room for central control of APCDs installed in the plant.
- 20 That the industry shall adhere to sector specific guidelines/SOP published by RPCB/CPCB from time to time for effective control of fugitive emissions.
- 21 That effective control measures shall be provided to control fugitive emissions during processing, transpiration, parking etc.
- 22 That unit shall provide green belt in 40 % of the total plot area using concept of the social forestry and will develop green belt outside project premises in adjacent areas wherever adequate land is not available within the industrial premises.
- 23 That unit shall provide wall to wall carpeting in vehicle movement areas within the premises to avoid re-entertainment of road dust.
- 24 That the unit shall undertake regular cleaning and wetting of roads for control of fugitive dust emissions.
- 25 That industry shall comply with the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016 and daily record of hazardous waste generation and its disposal shall be maintained.
- 26 That the industry shall carryout effluent sampling/stack monitoring/ambient air quality monitoring and submit half yearly analysis report from the State Board laboratory/laboratory recognized by Ministry of Environment & Forests (MoE&F), Government of India.
- 27 That the industry shall not use pet coke/furnace oil in any process/service/utility in compliance to the order dated 17/11/2017 of Hon'ble Supreme Court, wherein ban has been imposed on the use of pet coke and furnace oil in the State of Rajasthan.
- 28 That this consent to establish shall be subjected to compliance of any direction or order passed by NGT/ Honorable Court of law in the matter.
- 29 That the grant of consent shall not absolve the project proponent from making compliance of other statutory obligations prescribed under any other law or directions of courts or any other instrument for the time being in force.





Head Office (HDF)
Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

Registered


File No : F(HDF)/Alwar(Tijara)/7018(1)/2023-2024/2206-2208

Order No : 2023-2024/HDF/9390

Dispatch Date: Jul 6 2023 3:40PM

Unit Id : 90765

- 30 That this consent is issued on the basis of documents submitted by the applicant, if any discrepancies is found in the documents/facts submitted by the unit then the consent shall be treated as revoked without any further notice and the unit shall be liable for action in accordance with provisions of law.
- 31 That unit shall adhere to the direction of the Commission for Air Quality Management in NCR and surrounding Areas as amended from time to time.
- 32 That the unit shall comply all the provision of CEPI area and follow the mechanism of environmental management of CPA/SPA issued by State Board vide order dated 26/12/2019 in compliance of Hon'ble NGT order dated 23/08/2019 in the matter of O.A.No.1038/2018 comply with all additional conditions mentioned within order dated 26/12/2019.
- 33 That following additional arrangements to control fugitive dust shall be provided:
- a. Fog / Mist Sprinklers at all conveyors point and on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas.
 - b. Proper covered vehicle shall be used while transport of materials.
 - c. Wheel Washing mechanism shall be provided in entry and exit gates with complete re-circulation system.
- 34 a. PP shall install a slag crusher to convert steel slag into aggregate for use in construction industry, fine sand for use as flux in steel plant, sand in brick making and as lime in cement making.
- b. PP shall recycle/reuse 100% solid waste generated in the plant.
- c. Used refractories shall be recycled as far as possible.
- 35 A proper action plan must be implemented to dispose of the electronic waste generated in the industry.
- 36 The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.
- 37 That the industry shall strictly comply with the conditions imposed by the State Board in the Consent to Operate issued vide order no. 2021-2022/HDF/8793 dated 16.11.2021.





Head Office (HDF)
Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

Registered

File No : F(HDF)/Alwar(Tijara)/7018(1)/2023-2024/2206-2208

Order No : 2023-2024/HDF/9390

Dispatch Date: Jul 6 2023 3:40PM

Unit Id : 90765

38 That, notwithstanding anything provided hereinabove, the State Board shall have the power and reserves its right, as contained **under Section 27(2) of the Water Act and under Section 21(6) of the Air Act** to review anyone or all of the conditions imposed here in above and to make such variation as it deems fit for the purpose of compliance of the **Water Act and Air Act**.

39 That the grant of this **Consent to Establish** is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.

40 That the grant of this **Consent to Establish** shall not, in any way, adversely affect or jeopardize the legal proceedings, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made thereunder.

This **Consent to Establish** shall also be subject, besides the aforesaid specific conditions, to the general conditions given in the enclosed Annexure. The project proponent will comply with the provisions of the **Water Act and Air Act** and to such other conditions as may, from time to time, be specified by the State Board under the provisions of the aforesaid Act(s). Please note that, non compliance of any of the above stated conditions would tantamount to revocation of **Consent to Establish** and project proponent / occupier shall be liable for legal action under the relevant provisions of the said Act(s).

This bears approval of the competent authority.

Yours sincerely,

Group Incharge[HDF]

(A): **Copy to:-**

- 1 Regional Officer, Regional Office, Rajasthan State Pollution Control Board, Bhiwadi to ensure the compliance.
- 2 Master File.





Head Office (HDF)
Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

Registered

File No : F(HDF)/Alwar(Tijara)/7018(1)/2023-2024/2206-2208

Order No : 2023-2024/HDF/9390

Dispatch Date: Jul 6 2023 3:40PM

Unit Id : 90765

Group Incharge[HDF]





Head Office (HDF)

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695



Registered

File No : F(HDF)/KHAIRTHAL-TIJARA(Tijara)/7033(1)/2023-2024/5155-5157

Order No : 2023-2024/HDF/9499

Date: Nov 6 2023 4:52PM

Unit Id : 90765

M/s SBF ISPAT PRIVATE LIMITED

WZ 106/80, Rajori Garden Extension, BEhind Cambridge

School, New Delhi , NewDelhi

District:New Delhi

Sub: Consent to Operate under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21(4) of Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your application for Consent to Operate dated 12/07/2023 and subsequent correspondence.

Sir,

Consent to Operate under the provisions of Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, (hereinafter to be referred as the Air Act) as amended to date and rules & the orders issued thereunder is **hereby granted** for your **SBF ISPAT PRIVATE LIMITED plant** situated at **F-109-117 G-143-151 RIICO Industrial Area KARoli Bhiwadi TAPUKARA INDUSTRIAL AREA , Karoli Tehsil:Tijara District:Alwar** , Rajasthan, subject to the following conditions:-

- 1 That this Consent to Operate is valid for a period from **12/07/2023** to **30/06/2028** .
- 2 That this Consent is granted for manufacturing / producing following products / by products or carrying out the following activities or operation/processes or providing following services with capacities given below:

Particular	Type	Quantity with Unit
M.S BILLETS/ M.S. TMT BAR	Product	26,400.00 TPA

- 3 That this Consent to Operate is for existing plant, process & capacity and separate Consent to Establish/Operate is required to be taken for any addition / modification / alteration in process or change in capacity or change in fuel.
- 4 **That the consent to operate is valid for increase in production of MS Billets/ TMT Bars from 132,000TPA to 158,400TPA i.e. 26,400TPA from existing machinery as mentioned in the Consent to Operate issued vide Order no. 2021-2022/HDF/8793 dated 16.11.2021. The industry has to seek fresh consent to establish & operate for any change in product/byproduct/ process/ modification/ alteration.**





Head Office (HDF)

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

Registered

File No : F(HDF)/KHAIRTHAL-TIJARA(Tijara)/7033(1)/2023-2024/5155-5157

Order No : 2023-2024/HDF/9499

Date: Nov 6 2023 4:52PM

Unit Id : 90765

- 5 That the industry shall comply with all the conditions of Environmental Clearance (E.C.) issued by Ministry of Environment, Forest and Climate Change (MoEF&CC) vide letter dated 16.03.2023 (EC Identification No.: EC23A008RJ167160).
- 6 That installation of Reheating Furnace for reheating of M.S. Ingots/ Billets or metal surface treatment process such as pickling /plating /electroplating/paint stripping/ anodizing/ galvanizing etc. shall not be carried out without prior consent to establish & operate from the State Board.
- 7 That total capital cost as per the C.A. certificate submitted by the unit is Rs. 1367 Lacs which includes the cost of Building & Plant & Machinery.
- 8 That the industry shall upgrade the existing pollution control measures, if required, so as to achieve particulate matter emissions less than 30 mg/Nm³ as prescribed in the Environmental Clearance.
- 9 That total water consumption entire plant shall not exceed to 40 KLD[Existing-40KLD& Expansion-0KLD] (domestic use-11 KLD and industrial use29 KLD) and same shall be met from ground water(40KLD).
- 10 That there shall be no change or increase in total water consumption or waste water generation under this expansion.
- 11 The industry shall submit copy of renewed NOC/Permission from CGWA for abstraction of ground water upto 40 KLD as soon as received and comply with all the conditions NOC/Permission granted by the CGWA.
- 12 That no treated/untreated waste water (trade effluent) shall be discharged inside & outside the factory premises in any case and complete zero discharge status shall be maintained.
- 13 That there shall be no increase in sources of air emissions under this expansion.
- 14 That industry shall provide adequate air pollution control measures at all the sources of air emission/furnaces to achieve the prescribed standards/norms.
- 15 That no additional source of Air/Water pollution shall be installed without prior consent to establish from the State Board.
- 16 That unit shall adhere to stringent air pollutants standards i.e. 80% of existing process emission standards in the CPA and 90% of existing process emission standards in case of SPA.
- 17 That only cleaner fuel such as PNG, CNG or LPG etc. will be used as fuel in boilers, thermic fluid heaters, furnaces and other utilities, if any.
- 18 That unit shall provide continuous emission CEMS (as per the CPCB guidelines) on all process stacks and the signal shall be received in plant control room for central control of APCDs installed in the plant.
- 19 That the industry shall adhere to sector specific guidelines/SOP published by RPCB/CPCB from time to time for effective control of fugitive emissions.





Head Office (HDF)

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

Registered

File No : F(HDF)/KHAIRTHAL-TIJARA(Tijara)/7033(1)/2023-2024/5155-5157

Order No : 2023-2024/HDF/9499

Date: Nov 6 2023 4:52PM

Unit Id : 90765

- 20 That effective control measures shall be provided to control fugitive emissions during processing, transpiration, parking etc.
- 21 That unit shall provide green belt in 40 % of the total plot area using concept of the social forestry and will develop green belt outside project premises in adjacent areas wherever adequate land is not available within the industrial premises.
- 22 That unit shall provide wall to wall carpeting in vehicle movement areas within the premises to avoid re-entertainment of road dust.
- 23 That the unit shall undertake regular cleaning and wetting of roads for control of fugitive dust emissions.
- 24 That industry shall comply with the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016 and daily record of hazardous waste generation and its disposal shall be maintained.
- 25 That the industry shall carryout effluent sampling/stack monitoring/ambient air quality monitoring and submit half yearly analysis report from the State Board laboratory/laboratory recognized by Ministry of Environment & Forests (MoE&F), Government of India.
- 26 That the industry shall not use pet coke/furnace oil in any process/service/utility in compliance to the order dated 17/11/2017 of Hon'ble Supreme Court, wherein ban has been imposed on the use of pet coke and furnace oil in the State of Rajasthan.
- 27 That the industry shall not use pet coke/furnace oil in any process/service/utility in compliance to the order dated 17/11/2017 of Hon'ble Supreme Court, wherein ban has been imposed on the use of pet coke and furnace oil in the State of Rajasthan.
- 28 That the grant of consent shall not absolve the project proponent from making compliance of other statutory obligations prescribed under any other law or directions of courts or any other instrument for the time being in force.
- 29 That this consent is issued on the basis of documents submitted by the applicant, if any discrepancies is found in the documents/facts submitted by the unit then the consent shall be treated as revoked without any further notice and the unit shall be liable for action in accordance with provisions of law.
- 30 That unit shall adhere to the direction of the Commission for Air Quality Management in NCR and surrounding Areas as amended from time to time.
- 31 That the unit shall comply all the provision of CEPI area and follow the mechanism of environmental management of CPA/SPA issued by State Board vide order dated 26/12/2019 in compliance of Hon'ble NGT order dated 23/08/2019 in the matter of O.A.No.1038/2018 comply with all additional conditions mentioned within order dated 26/12/2019.





Head Office (HDF)

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

Registered


File No : F(HDF)/KHAIRTHAL-TIJARA(Tijara)/7033(1)/2023-2024/5155-5157

Order No : 2023-2024/HDF/9499

Date: Nov 6 2023 4:52PM

Unit Id : 90765

- 32 That following additional arrangements to control fugitive dust shall be provided:
- Fog / Mist Sprinklers at all conveyors point and on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas.
 - Proper covered vehicle shall be used while transport of materials.
 - Wheel Washing mechanism shall be provided in entry and exit gates with complete re-circulation system.
- 33 a. PP shall install a slag crusher to convert steel slag into aggregate for use in construction industry, fine sand for use as flux in steel plant, sand in brick making and as lime in cement making.
- b. PP shall recycle/reuse 100% solid waste generated in the plant.
- c. Used refractories shall be recycled as far as possible.
- 34 A proper action plan must be implemented to dispose of the electronic waste generated in the industry.
- 35 The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.
- 36 That unit shall connect CEMS with the State Board's Portal for OCEMS within 30 days from date of issuance, failing which Consents shall be deemed to be revoked without any further notice.
- 37 That the unit shall submit a bank guarantee of 10% cost of installation and configuration of OCEMS system with the State Board's OCEMS Portal immediately.
- 38 That unit shall upgrade the existing bag filter system to achieve the standards prescribed in the Environmental clearance by 31.12.2023 and submit the documentary evidence of the same, failing which Bank Guarantee as BG no. 3146523BG0000126 dated 03.10.2023 of Rs. 45,000/- shall be forfeited by the State Board without any further notice.
- 39 That the industry shall strictly comply with the conditions imposed by the State Board in the Consent to Operate issued vide order no. 2021-2022/HDF/8793 dated 16.11.2021.





Head Office (HDF)
Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

Registered

File No : F(HDF)/KHAIRTHAL-TIJARA(Tijara)/7033(1)/2023-2024/5155-5157

Order No : 2023-2024/HDF/9499

Date: Nov 6 2023 4:52PM

Unit Id : 90765

- 40 That the unit shall submit an analysis report of STP outlet conducted by the State Board's laboratory within 30 days from date of issuance, failing which this Consent shall be deemed to be revoked. Further if the reports fail, appropriate action will be taken against the unit.**
- 41 That, notwithstanding anything provided hereinabove, the State Board shall have the power and reserves its right, as contained under Section 27(2) of the Water Act and under Section 21(6) of the Air Act to review anyone or all of the conditions imposed here in above and to make such variation as it deems fit for the purpose of Air Act & Water Act.**
- 42 That the grant of this Consent to Operate is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.**
- 43 That the grant of this Consent to Operate shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Water Act and Air Act or the Rules made thereunder.**
- 44 That the Project Proponent shall comply with provisions of the E-waste (Management) Rules, 2016 and ensure that e-waste generated by them is channelized through collection centre or dealer of authorized producer or dismantler or recycler or through designated take back service provider of the producer to authorized dismantler or recycler.**
- 45 That the Project Proponent shall maintain record of e-waste generated by them in Form-2 and make such records available for scrutiny by the Board.**
- 46 That the Project Proponent shall file annual returns in Form-3, to the Board on or before the 30th day of June following the financial year to which that return relates.**
- 47 That the transportation of e-waste shall be carried out as per the manifest system whereby the transporter shall be required to carry a document (three copies) prepared by the sender, giving the details as per Form-6.**





Head Office (HDF)
Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695

Registered

File No : F(HDF)/KHAIRTHAL-TIJARA(Tijara)/7033(1)/2023-2024/5155-5157

Order No : 2023-2024/HDF/9499

Date: Nov 6 2023 4:52PM

Unit Id : 90765

- 48** That the Project Proponent shall comply with provisions of the Batteries (Management and Handling) Rules, 2001 (as amended) and submit half yearly returns (as bulk consumer, importer, auctioneer, recycler as the case may be) to the State Board as provided under Rule 10 (2) (ii) of the Battery (Management and Handling) Rules, 2001 (as amended). In case the Project Proponent is not a bulk consumer even then the used batteries shall be returned to the authorized dealers or recyclers only.
- 49** That the record of batteries purchased and sold/ returned to registered dealers and/ or authorized recyclers shall be maintained and made available to the officers of the Board during inspections.

This **Consent to Operate** shall also be subject, besides the aforesaid specific conditions, to the general conditions given in the enclosed Annexure. The Project Proponent will comply with the provisions of the **Water Act and Air Act** and to such other conditions as may, from time to time , be specified, by the State Board under the provisions of the aforesaid Act(s). Please note that, non compliance of any of the above stated conditions would tantamount to revocation of **Consent to Operate** and Project Proponent / occupier shall be liable for legal action under the relevant provisions of the said Act(s).

This bears approval of the competent authority.


Yours sincerely,

Group Incharge[HDF]

(A): **Copy to:-**

- 1 Regional Officer, Regional Office, Rajasthan State Pollution Control Board, Alwar to ensure the compliance of consent to conditions
- 2 Master File.

Group Incharge[HDF]



Expansion in production of MS Billets from 1,32,000 TPA to 1,58,400 TPA by M/s SBF ISPAT Pvt. Ltd, Plot No F-109- 117 and G-143-151, Village Tapukara, Tehsil-Tijara,Distt. Alwar, Rajsthan.				
Fugitive Emission Data FEB -2024				
Sr. No.	Parameters	Units	Results	Test Methods
1	Particulate Matter (PM)	mg/m ³	0.7	NIOSH Manual Method 0600- Particulates (issue-03,04th Edition):1998

Air Monitoring Data

Expansion in production of MS Billets from 1,32,000 TPA to 1,58,400 TPA and TMT Bars 2,00,000 TPA by M/s SBF ISPAT Pvt. Ltd, Plot No F-109- 117 and G-143-151, Village Tapukara, Tehsil-Tijara, Alwar, Rajsthan						
Ambient Air Quality Data (Feb-2024)				Location: AAQ1 (Project Site)		
S.No	Date	PM10,µg/m ³	PM2.5,µg/m ³	SO ₂ µg/m ³ ,	NO ₂ ,µg/m ³	CO, µg/m ³
		IS:5182:Pt-24	IS:5182:Pt-23	IS:5182:Pt-2	IS:5182:Pt-6	IS:5182:Pt-10
1	01.02.2024	120.5	66.1	11.2	24	880
2	05.02.2024	128.7	71.3	12.1	25.7	940
3	09.02.2024	136.9	70.6	14.0	29.3	1050
4	12.02.2024	116.8	62.8	12.9	28.5	940
5	15.02.2024	107.5	58.4	12.4	27.2	1010
6	18.02.2024	130.6	69.6	14.1	29.3	1040
7	21.02.2024	108.3	59.8	14.3	31.4	980
8	26.02.2024	118.8	65.2	11.8	26.9	1030
	Min	107.5	58.4	11.2	24.0	880
	Max	136.9	71.3	14.3	31.4	1050
	Average	121.0	65.5	12.9	27.8	983.8
	98 Percentile	136.0	71.2	14.3	31.1	1048.6
NAAQS, For 24 hourly monitoring (except CO for One hour)		100	60	80	80	4000

Noise Monitoring Data

Expansion in production of MS Billets from 1,32,000 TPA to 1,58,400 TPA and TMT Bars 2,00,000 TPA by M/s SBF ISPAT Pvt. Ltd, Plot No F-109- 117 and G-143-151, Village Tapukara, Tehsil-Tijara, Alwar, Rajsthan						
NOISE QUALITY DATA Feb- 2024						
S. No.	PROJECT SITE	ZONE	LIMIT as per CPCB Guidelines Leq, dB(A)		Observed value Leq, dB(A)	
			DAY*	NIGHT**	DAY*	NIGHT**
1	Project Site	Industrial Area	75	70	73.7	67.5
*	Day time	(6.00AM TO 10.00PM)				
**	Night time	(10.00PM TO 6.00AM)				

Soil Sampling Results

Expansion in production of MS Billets from 1,32,000 TPA to 1,58,400 TPA and TMT Bars 2,00,000 TPA by M/s SBF ISPAT Pvt. Ltd, Plot No F-109- 117 and G-143-151, Village Tapukara, Tehsil-Tijara, Alwar, Rajsthan			
Soil Quality Data (Feb-2024)			
S. No	Parameter	Unit	SQ1 Project Site
1	Texture	-	Sandy Loam
2	Particle Size Distribution		
	Sand	%	67.3
	Silt	%	14.4
	Clay	%	18.3
3	pH (1:2 Suspension)	-	7.18
4	Electrical Conductivity (1:2 Suspension)	μS/cm	459
5	Moisture Content	%	6.7
6	Cation Exchange Capacity	meq/100gm	13.1
7	Available Potassium (as K)	mg/kg	31
8	Exchangeable Sodium (as Na)	mg/kg	112
9	Exchangeable Calcium (as Ca)	mg/kg	1988
10	Exchangeable Magnesium (as Mg)	mg/kg	306
11	Sodium Absorption Ratio	-	0.62
12	Organic Matter	%	0.63
13	Total Nitrogen (as N)	mg/kg	37
14	Total Phosphorus (as PO ₄)	mg/kg	6.5
15	Iron (as Fe)	mg/kg	2.7
16	Zinc (as Zn)	mg/kg	1.8
17	Copper (as Cu)	mg/kg	0.9
18	Boron (as B)	mg/kg	0.5
19	Manganese (as Mn)	mg/kg	5.6
20	Water Holding Capacity	%	25.7
21	Permeability	cm/hr	2.3
22	Porosity	%	38.8
23	Bulk Density	gm/cc	1.31

Water Sampling Results

Expansion in production of MS Billets from 1,32,000 TPA to 1,58,400 TPA and TMT Bars 2,00,000 TPA by M/s SBF ISPAT Pvt. Ltd, Plot No F-109- 117 and G-143-151, Village Tapukara, Tehsil-Tijara, Alwar, Rajsthan					
Ground Water Quality Feb-2024					
S.No	Parameter	Unit	Standard Limit (IS-10500:2012, RA 2018)		GW-1
			Desirable Limit	Permissible Limit	Project Site
1	Colour	Hazen	5	15	<5
2	Odour	-	Agreeable	Agreeable	Agreeable
3	Turbidity	NTU	1	5	<1
4	pH	-	6.5-8.5	No Relaxation	7.79
5	Total Dissolved Solids (TDS)	mg/l	500	2000	1370
6	Total Hardness (as CaCO ₃)	mg/l	200	600	570
7	Total Alkalinity (as CaCO ₃)	mg/l	200	600	500
8	Chlorides (as Cl)	mg/l	250	1000	263
9	Fluoride (as F)	mg/l	1	1.5	0.7
10	Calcium(as Ca ²⁺)	mg/l	75	200	138
11	Magnesium (as Mg ²⁺)	mg/l	30	100	55
12	Sulphate (as SO ₄)	mg/l	200	400	165
13	Nitrate(as NO ₃)	mg/l	45	No Relaxation	17
14	Iron (as Fe)	mg/l	1	No Relaxation	0.83
15	Aluminum (as Al)	mg/l	0.03	0.2	<0.01
16	Copper (as Cu)	mg/l	0.05	1.5	<0.01
17	Manganese (as Mn)	mg/l	0.1	0.3	<0.1
18	Boron (as B)	mg/l	0.5	1	<0.1
19	Zinc (as Zn)	mg/l	5	15	<0.01
20	Selenium (as Se)	mg/l	0.01	No Relaxation	<0.01
21	Arsenic (as As)	mg/l	0.01	0.05	<0.01
22	Cadmium (as Cd)	mg/l	0.003	No Relaxation	<0.001

Annexure-VII

23	Total Chromium (as Cr ³⁺)	mg/l	0.05	No Relaxation	<0.01
24	Cyanide (as CN)	mg/l	0.05	No Relaxation	<0.01
25	Lead (as Pb)	mg/l	0.01	No Relaxation	<0.01
26	Mercury (as Hg)	mg/l	0.001	No Relaxation	<0.001
27	Nickel (as Ni)	mg/l	0.02	No Relaxation	<0.01
28	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	0.001	0.002	<0.001
29	Anionic Detergent (as MBAS)	mg/l	0.2	1	<0.01
30	Silica (as SiO ₂)	mg/l	,---	,---	4.7
31	Phosphate (as PO ₄)	mg/l	,---	,---	1.9
32	Specific Conductivity	μS/cm	,---	,---	2050
Bacteriological Parameter					
1	Total Coliform	MPN/100ml	Shall not be detectable in any 100ml Sample	Not Detected (<2)	
2	<u>E.coli</u>	MPN /100ml	Shall not be detectable in any 100ml Sample	Absent (<2)	

STP PHOTOGRAPHS





DISASTER MANAGEMENT PLAN/EMERGENCY RESPONSE PLAN

It can be stated that as the plant does not have any societal risk that requires Off-Site DMP. Only on-site risks are involved for which Emergency Response Plan is sufficient. The plant is located in an Industrial Area, which is under development. Only one industry of Badve Group (Auto Components) is operating. Most of the plots are vacant. The plant is located 1.38 km (N) from Kushkera CEPI boundary.

The nearest habitation is located more than 150 m away, Dhiriawas ki Dhani on the south east side of the plant. This is a small hamlet of 50-75 household – extension of the main Dhiriawas village located 2 km away. No school or hospital or police station is located within 1 km radius of the plant. The industrial area is surrounded by single crop agriculture fields growing bajra. Kamalpur village is the large village located 1.2 km of the west side of the plant. Tapukara village is the largest village of the area, which is almost 2.5 km away from the plant in NE direction. Police station exists in Tapukara village. The predominant wind direction is from north west blowing towards south east. Ambulance and Fire Brigade is available in the adjoining Tapukara Industrial Area of RIICO. The facilities will be provided by RIICO in the Karoli Industrial Area. The roads of the Industrial Area are wide; 4-lane with median filled with green shrubs.

The objective of Disaster Management plan is to give a broad framework to tackle emergency situation for dealing with accident situation. It defines organizational responsibilities, actions, reporting requirements, broad key roles and responsibilities of personal. The overall objectives of the emergency plan will be:

- ✓ Ensure safety of workers
- ✓ To ensure localization of risk
- ✓ To minimize and reduce the effects of the accident on people and property.
- ✓ To prevent injuries by following proper onsite emergency plans.

There are various phases of Disaster.

Warning Phase

Emergencies /disasters are generally preceded by warnings during which preventive measures are initiated. For example uncontrollable build-up of pressure in furnace or weather forecast of storm.

Period of Impact Phase

This is the phase when emergency /disaster actually strike and actions are initiated to minimize the impact. The duration may be from hours to a day.

Rescue Phase

This is the phase when impact is almost over and efforts are concentrated on rescue and relief measures.

Relief Phase

In this phase, apart from organization and relief measures internally, depending on severity of the disaster, external help are also to be summoned to provide relief measures (like evacuations to a safe place and providing medical help, food clothing etc.). This phase will continue till normalcy is restored.

Rehabilitation Phase

This is the final and longest phase. During which measures required to put the situation back to normal as far as possible are taken. Checking the systems, estimating the damages, repair of equipment and putting them again into service are taken up. Help from revenue/insurance authorities need to be obtained to assess the damage, quantum of compensation to be paid.




Figure 7:1 Onsite Disaster Management Plan

Emergency Control Centre (ECC)

An Emergency Control Centre (ECC) is established from which emergency operations are directed and co-ordinated. Centre will be activated as soon as on-site emergency is declared. The ECC will consist of one room, located in an area that offers minimal risk being directly exposed to possible accidents. During an emergency, the Emergency Management Staff, including the main controller will gather in the ECC. Therefore, the ECC will be

equipped with adequate communication systems in the form of telephones and other equipment to allow unhampered organization and other nearby facility personnel.

The ECC will provide shelter to its occupants against the most common accidents; in addition, the ECC's communication systems will be protected from possible shutdown. The ECC will have its own emergency lighting arrangement and electric communication systems operation. The ECC will always be ready for operation and provided with the equipment and supplies necessary during the emergency such as:

- ✓ Hazard identification chart, All Emergency response plans
- ✓ Population around factory
- ✓ Internal telephone connections and External telephone connections
- ✓ A list of key personnel, with addresses, telephone numbers, etc.
- ✓ Hotline connection to district collector, police control room, fire brigade, Hospital etc.
- ✓ Public address system (PAS)
- ✓ List of dispensaries and registered medical practitioners around factory
- ✓ Area map of surrounding villages
- ✓ Note pads and ball pens to record message received and instructions
- ✓ The blown up copy of Layout plan showing areas where accident has Occurred
- ✓ Undated copies of the On-site Disaster Management Plan
- ✓ Emergency telephone numbers
- ✓ The names, phone number, and address of external agencies, response organizations and neighbouring facilities
- ✓ The adequate number of telephone
- ✓ Emergency lights
- ✓ List of fire extinguishers with their type no. and location, capacity, etc
- ✓ Personal protective equipment(PPE)
- ✓ Safety helmets
- ✓ Clock
- ✓ Material safety data sheets for chemicals handled at the facility
- ✓ Several maps of the facility including drainage system for surrounding area showing:
 - ✓ Areas where hazardous materials are stored
 - ✓ Plant layout
 - ✓ Plot plans of storage tanks, routes of pipelines, all water permanent lines etc.
 - ✓ The locations where personal protective equipment are stored

- ✓ The position of pumping stations and other water sources
- ✓ Roads and plant entrances
- ✓ Assembly areas
- ✓ Lay out of Hydrant lines

Roles and Responsibility

A team of following Essential persons shall be taking necessary action in case of emergency. The roles and responsibilities of these personnel are defined subsequently:

- ✓ Main Controller
- ✓ Site Incident Controller(SIC)
- ✓ Incident Controller (IC)
- ✓ Liaison Officer
- ✓ Communication Officer
- ✓ Observer
- ✓ Incharge (Security)
- ✓ Incharge (Medical)
- ✓ Shift Incharge (Security)

Main Controller

The Primary Controller is the employee who gives the first information about the incident/accident. He will be responsible for:

- ✓ To inform the Security office (Main Gate), & Engineers/Sr. Engineers / Shift In-Charges/HOD of Section of the aforesaid Department/Section from the nearest available telephone about the location and nature of incident.
- ✓ To assist rescue operation as well as clear obstruction, if any, in the same.
- ✓ To carry out all instructions from Incident Controller.

Site Incident controller (SIC)

The Unit Head shall have overall responsibility for the factory and its personnel. In absence of Unit Head, Chairman OHS Committee shall assume the responsibility of Site Controller. His duties during emergency shall be:

- ✓ To assess the magnitude of the situation and decide if employees need to be evacuated from assembly points.

- ✓ To give necessary instructions to Liaison Officer, HOD(HR&A) regarding the help to be obtained from outside agencies like Fire Brigade, Police and Medical
- ✓ To advise Liaison Officer to pass on necessary information about the incident to News Media and ensure that the evidences are preserved for enquiry to be conducted by statutory authorities.

Incident Controller(IC)

The HOD of affected department shall have overall responsibility for controlling the incident and directing the personnel. Section In charge of the affected department shall assume the responsibility of Incident Controller(IC) in the absence of HOD of affected department. His duties during emergency shall be:

- ✓ To inform Communication Officer about the emergency, Control Center& Assembly point.
- ✓ To direct all operations` within the affected area with priorities for safety of personnel, to minimize damage to the Plant and environment and to minimize loss of material.
- ✓ To act as Site Controller till the later arrives.
- ✓ To advise and provide information to Fire Squad, Security Officer and Local Fire Services when they arrive.

To ensure that all non-essential persons are sent to the assembly point.

Liaison Officer

HOD (HR&A) shall be the Liaison officer. He shall be responsible for: -

- ✓ To contact Fire Brigade, Police, and Medical facilities on intimation from Site Controller & arrange for the rescue operation.
- ✓ To ensure that the casualties receive attention.
- ✓ To inform relatives of the affected employee at the earliest.
- ✓ To arrange for additional transport if required.
- ✓ To arrange for relief of personnel & organize refreshment/catering facility, in case the duration of emergency is prolonged.
- ✓ To issue authorized statements to news media and ensure that evidence is preserved for enquiry to be conducted.

Incharge (Medical)

On receiving the information he will reach hospital immediately and take following actions: He will keep necessary first aid medicines and artificial respiration equipment ready.

- ✓ Inform doctors at other places to be ready, for attending serious injury, burn cases and food poisoning

Observer

- ✓ During Mock Drill for Emergency Situations they shall be placed at different locations in plant to note down the movement and action taken by people and give feed back to the Site Controller.

Communication Officer

In-Charge (Safety) shall act as Communication officer. He shall work from Control Centre and maintain communication between relevant personnel. He shall be responsible for: -

- ✓ To apprise the site controller of the situation, based on the information received, suggest the evacuation of personnel from assembly points, if needed.
- ✓ To arrange for suitable persons to act as runners/messengers in case of failure of communication system.
- ✓ To carry out any other works as assigned by Site Controller/Incident Controller

Incharge - Security

- ✓ The Incharge (Security) shall guide the crew, according to the condition of emergency site, for the actions required to handle the emergency i.e. for fire fighting, removal of debris, arresting of dust, removal of oil soaked earth etc. He shall give instructions to Security Guards to cordon off areas as required by Incident Controller. He shall render all help to incident controller to handle the emergency and carry out the work as assigned to him.
- ✓ He shall be responsible for ensuring the discipline at control points and for preventing the entry of unauthorized persons inside the affected area as well as inside the factory during emergency.

Shift Incharge – Security

He shall be responsible for

- ✓ To arrange the necessary help as requested by Primary Controller.
- ✓ To inform Incharge (Security).
- ✓ To blow emergency siren, if instructed by the HOD (HR&A)/Incident Controller.
- ✓ To send Ambulance near accident area.
- ✓ To rush to the accident site with fire brigade along with available trained security persons.

The following system forms integral part of DMP Automatic Fire Detection System

Unattended vulnerable premises like electrical control rooms, cable tunnels, MCC, oil cellars, etc. will be provided with automatic fire detection and alarm systems.

Manual Call Point Systems

All major units and welfare/administrative building will be provide with manual call pointsfor summoning the fire-fighting crew from the fire station for necessary assistance.

Alarm System

A hooter installed at the Security Office shall be blown alternately with high and low pitch for 2 minutes to indicate major emergency in the plant. In such case, all non-essential employees are expected to gather at assembly point i.e. Company's Main Gate/Time Office. Signal for the clearance of emergency shall be given by blowing the hooter continuously for one minute.

First Aid

Fully equipped Hospital with Ambulance Van is available. Doctors and nurse are available round the clock to handle any emergency in the plant. The Ambulance shall be periodically checked through preventive maintenance programme. To ensure that the system isstrictly followed, In-charge (Safety) shall cross check randomly once in a fortnight the preparedness of Ambulance as per the check list and counter sign.

- ✓ The injured shall be shifted to nearby hospital, as per the opinion of the Medical Officer.
- ✓ A list of First Aid boxes is available in every department as mentioned in ECC
- ✓ Medical Officer shall ensure that refilling is done on monthly basis and he shall maintain a record of refilling.
- ✓ The names & contact numbers of trained First Aiders are provided the same is displayed at all the prominent locations in the premises.
- ✓ In case of Injury caused due to Hazardous Chemicals, Material Safety Data Sheet (MSDS) available with the user department / Hospital shall be referred.

Mock Drill

For reviewing and assessing the level of preparedness, In-charge (Safety) shall conduct Mock trials twice in a year (one in each half) simulating the covered emergencies and will maintain records of the trials. The team of Prime & Deputy Responsible persons will review the records and events of the emergency preparedness trials along with the observations taken by the observer and report shall be put forward to the Site Controller. Corrective and Preventive measures, if suggested/directed, will be initiated and relevant records of the same are maintained. Fire drills will be exercised once in every six months under the leadership ofIncharge (Security). The records of Fire drill will be recorded & maintained.

The findings of the mock drills shall be used for improvements in preparedness and response. All team leaders shall be responsible for implementing the suggestions based on mock drill findings within reasonable time frame.

Training

Once a yearly basis class room training for fire fighting and mitigating measures to be adopted to reduce environmental impact & OHS risks, will be imparted covering at least 20% employee by the In-charge (Safety) and In-charge (Security). The records of the same are maintained.

FORM HEALTH REGISTER

PRESCRIBED UNDER

In respect of person employed in occupations declared to be

Name of Certifying Surgeon

(a) Mr. Dr. Manoj Kumar

(b) Mr. _____

From June 2024 To _____

From _____ To _____

Serial No. क्रमांक	Deptt./Works विभाग / कार्य	Name of Worker कार्यकर्ता का नाम	Age at last birthday आयु पत्र अन्तर्निहित पर	Date of employment in present work निवृत्ति की तिथि	Date of employment transfer with reasons for discharge or transfer कार्य छोड़ने या स्थानान्तरण की तिथि (किस कारण से स्थानान्तरण या अलग किया गया)	Nature of job or Occupation कार्य की वृत्ति	Raw Material of by Products handled कच्चा माल तथा सहायक उत्पादन जो काम में लाया गया।
01		Mr. Lila Ram Yadav S/o Indr Singh		10.09.2020			
02.		Mr. Shambhu Sharma s/o Badhri Prasad Sharma		14.09.2020			
03.		Mr. Dim dayal S/o Tara Chand		28.09.2020			
04.		Mr. Hari om Sharma S/o Ramkishor Sharma		28.09.2020			
05.		Mr. Jashwant S/o Indra		28.09.2020			
06.		Mr. Manoj Kumar Yadav S/o Kamwar Singh		28.09.2020			
07.		Mr. Ravi Varma S/o Vijay Varma		28.09.2020			
08.		Mr. Indra Pal S/o Shankar dev		29.09.2020			
09.		Mr. Varun Sharma S/o Surennder Kumay Sharma		30.09.20			

No. 19 SBF ISPAT PVT. LTD.
Plot No. G 143-151 & F 100-117
(Rule 14) General Zone Industrial Area
Tapukara (Rajasthan) 301707

स्वास्थ्य रजिस्टर

GANESH
STATIONERS

dangerous operations (Rule 14)

(c) Mr. _____

From _____ To _____

Date of weekly Examination with result (fit/unfit) साप्ताहिक डाक्टरों की निधि परिणाम सहित (अप्युक्त / अनुप्युक्त)							Note of Symptoms लक्षण	Signature of Registered Medical Practitioner डाक्टर के हस्ताक्षर
CVS & R.P	G.I.T	9	ENT	Vision	General	10	11	
NAD	NAD	NAD	NAD	Normal	NAD	FT		
NAD	NAD	NAD	NAD	Normal	NAD	FT		
NAD	NAD	NAD	NAD	Normal	NAD	FT		
NAD	NAD	NAD	NAD	Normal	NAD	FT		
NAD	NAD	NAD	NAD	Normal	NAD	FT		
NAD	NAD	NAD	NAD	Normal	NAD	FT		
NAD	NAD	NAD	NAD	Normal	NAD	FT		
NAD	NAD	NAD	NAD	Normal	NAD	FT		
NAD	NAD	NAD	NAD	Normal	NAD	FT		

Manoj Kumar
Medical Officer
C.H.C. Tapukara
Distt. Alwar (Raj.)

HEALTH REGISTER FORM

PRESCRIBED UNDER

In respect of person employed in occupations declared to be

Name of Certifying Surgeon

(a) Mr. Dr. Manoj Kumar

(b) Mr.

From To

From June-2024 To

No. 19
(Rule 14)

SBF ISPAT PVT. LTD.
Plot No. G 143-151 & F 109-117,
General Zone Industrial Area,
Tapukara (Rajasthan), 301101

स्वास्थ्य रजिस्टर

GANESH STATIONERS

dangerous operations under section 87)

(c) Mr.

From To

Serial No. क्रमांक	Deptt / Works विभाग / कार्य	Name of Worker कार्यकर्ता का नाम	Age at last birthday आयु गत जन्म तिथि पर	Date of employment in present work निवृत्ति की तिथि	Date of employment transfer with reasons for discharge or transfer कार्य छोड़ने या स्थानान्तरण की तिथि (किस कारण से स्थानान्तरण या अलग किया गया)	Nature of job or Occupation कार्य की वृत्ति	Raw Material of by Products handled कच्चा पाल तथा मसाले उत्पादन जो काम में लाया गया।	Date of weekly Examination with result (fit/unfit) साप्ताहिक डाक्टरों परीक्षा की तिथि परिणाम सहित (उपयुक्त / अनुपयुक्त)					Note of Symptoms लक्षण	Signature of Registered Medical Practitioner डाक्टर के हस्ताक्षर
10.		Mr. Dharm Pal Yadav S/o Navul Kishor Yadav		30.09.2020				20.09.20	ENT	vision	General	FT		
11.		Mr. Girraj S/o GulJari Lal		29.10.2020				29.10.20	ENT	eyes vision glasses	NAD	FT		
12.		Mr. Sanjeev Sharma S/o RamPravesh Sharma		20.11.2020				20.11.20	ENT	Normal	NAD	FT		
13.		Mr. Jay Prakash Singh S/o SanTbakayt Singh		21.12.2020				21.12.20	ENT	Normal	NAD	FT		
14.		Mr. Surendra S/o Shri Ram Majri		21.12.2020				21.12.20	ENT	Normal	NAD	FT		
15.		Mr. Hemraj Singh S/o Yograj Singh		01.12.2020				01.12.20	ENT	Normal	NAD	FT		
16.		Mr. Kuldeep Raghav S/o Jagveer Singh		01.12.2020				01.12.20	ENT	Normal	NAD	FT		
17.		Mr. Ashu Gupta S/o Prayograj Gupta		01.12.2020				01.12.20	ENT	Normal	NAD	FT		
18.		Mr. Abhinav Sharma S/o Gopesh Kumar Sharma		22.01.2021				22.01.21	ENT	Normal	NAD	FT		

Manoj Kumar
Medical Officer
C.H.C. Tapukara
Distt. Alwar (Raj.)

FORM HEALTH REGISTER PRESCRIBED UNDER

In respect of person employed in occupations declared to be

Name of Certifying Surgeon

(a) Mr. Dr. Manoj Kumar

(b) Mr. _____

From _____

To _____

From June-2024 To _____

स्वास्थ्य रजिस्टर

dangerous occupations declared to be

(c) Mr. _____

From _____

To _____

Serial No. क्र.सं.	Deptt / Works विभाग / कार्य	Name of Worker कार्यकर्ता का नाम	Age at last birthday आयु का अंतिम तिथि पर	Date of employment in present work नियुक्ति की तिथि	Date of employment transfer with reasons for discharge or transfer कार्य छोड़ने या स्थानान्तरण की तिथि (किस कारण से स्थानान्तरण या अलग किया गया)	Nature of job or Occupation कार्य की प्रकृति	Raw Material of by Products handled कच्चा माल तथा सहायक उत्पादन जो काम में लाया गया।	Date of weekly Examination with result (fit/unfit) साप्ताहिक डाक्टरों परीक्षा की तिथि परिणाम सहित (अनुपूजन - अनुपयुक्त)					Note of Symptoms लक्षण	Signature of Registered Medical Practitioner डॉक्टर के हस्ताक्षर	
19.	Mr. Vikram S/o Shibby Ram	22.01.2021						CUB SRP	GT	9	ENT	vision	General	FT	
								NAD	NAD		NAD	Normal	NAD	FT	
20.	Mr. Pardeep S/o. Ashok Kumar	22.01.2021						NAD	NAD		NAD	Normal	NAD	FT	
21.	Mr. Armit Kumar Singh S/o. Keunwar Pal Singh	01.02.2021						NAD	NAD		NAD	Normal	NAD	FT	
22.	Mr. Ramesh Kumar S/o. Ramdas	16.02.2021						NAD	NAD		NAD	Normal	NAD	FT	
23.	Mr. Rupesh Kumar S/o Sumil Kumar Singh	16.02.2021						NAD	NAD		NAD	Normal	NAD	FT	
24.	Mr. Lalam Kumar S/o Shyam Sunder Sah	11.03.2021						NAD	NAD		NAD	Normal	NAD	FT	
25.	Mr. Akhlesh S/o sunyadhar Dube	19.04.2021						NAD	NAD		NAD	Normal	NAD	FT	
26.	Mr. Bhagirath S/o Ramkarn Yadav	19.04.2021						NAD	NAD		NAD	Normal	NAD	FT	
27.	Mr. Arvind Kumar Gupta S/o Girraj Prasad Gupta	19.04.2021						NAD	NAD		NAD	Normal	NAD	FT	

Manoj Kumar
Medical Officer
C.H.C. Tapukara
Distt. Alwar (Raj.)

FORM

Health REGISTER

PRESCRIBED UNDER

In respect of person employed in occupations declared to be

Name of Certifying Surgeon

(a) Mr. Dr. Manoj Kumar

(b) Mr. _____

From June 2024 To _____

From _____ To _____

No. 19
(Rule 14)

dangerous operations under section 87)

(c) Mr. _____

From _____ To _____

स्वास्थ्य रजिस्टर

GANESH
STATIONERS

SBF ISPAT PVT. LTD.

Plot No. - F-103-117 and 118, 119,

General Zone, Industrial Area, Phase I,

Tapukara, Dist. Alwar, Rajasthan - 301007

Serial No. क्रमांक	Deptt./Works विभाग / कार्य	Name of Worker कार्यकर्ता का नाम	Age at last birthday आयु का जन्म तिथि पर	Date of employment in present work निवृत्ति की तिथि	Date of employment transfer with reasons for discharge or transfer कार्य छोड़ने या स्थानान्तरण की तिथि (किस कारण से स्थानान्तरण या अलग किया गया)	Nature of job or Occupation कार्य की वृत्ति	Raw Material of by Products handled कच्चा माल तथा सहायक उत्पादन जो काम में लाया गया।	Date of weekly Examination with result (fit/unfit) साप्ताहिक डाक्टरों की परीक्षा की तिथि परिणाम सहित (उपयुक्त / अनुपयुक्त)					Note of Symptoms लक्षण	Signature of Registered Medical Practitioner डाक्टर के हस्ताक्षर	
1	2	3	4	5	6	7	8						10	11	
145		Mir Vikki kumar S/o Desh Raj		25.11.2022				CUSBP	ENT	9	ENT	vision	General	FT	
								NAD	NAD	NAD	Normal	NAD	FT		
146		Mr. Harpal Singh S/o Vijay Singh		01.12.2022				NAD	NAD	NAD	Normal	NAD	FT		
147		Mr. Arvind Kumar Dubey S/o Harishchand Dubey		05.12.2022				NAD	NAD	NAD	Normal	NAD	FT		
148		Mr. Uday Singh S/o Kan Singh		06.12.2022				NAD	NAD	NAD	Normal	NAD	FT		
149		Mr. Dharmendra Ray S/o Rama Nand Ray		21.12.2022				NAD	NAD	NAD	Normal	NAD	FT		
150		Mr. Harshit Gang S/o Sanjeev Kumar Gang		01.12.2022				NAD	NAD	NAD	Normal	NAD	FT		
151		Miss Varnita Mathur W/o Jitendra Mathur		01.01.2023				NAD	NAD	NAD	Normal	NAD	FT		
152		Mr. Chandrapal Singh S/o Lakhmi Singh		02.01.2023				NAD	NAD	NAD	Normal	NAD	FT		
153		Mr. Shivendra Kumar S/o Pramod Kumar		09.01.2023				NAD	NAD	NAD	Normal	NAD	FT		

Manoj Kumar
Medical Officer
C.H.G. Tapukara
Distt. Alwar (Raj.)

HEALTH REGISTER PRESCRIBED UNDER FORM

In respect of person employed in occupations declared to be

No. 19
(Rule 14)

स्वास्थ्य रजिस्टर

GANESH
STATIONERS

Name of Certifying Surgeon
 (a) Mr. Dr. Manoj Kumar
 From June-2024 To _____

(b) Mr. _____
 From _____ To _____

dangerous operations under section 87)
 (c) Mr. _____
 From _____ To _____

Serial No. क्रमांक	Deptt./Works विभाग / कार्य	Name of Worker कार्यकर्ता का नाम	Age at last birthday आयु का अन्तम तिथि पर	Date of employment in present work निर्भूक्त की तिथि	Date of employment transfer with reasons for discharge or transfer कार्य छोड़ने या स्थानान्तरण की तिथि (किस कारण से स्थानान्तरण या अलग करिया गया)	Nature of job or Occupation कार्य की वृत्ति	Raw Material of by Products handled कच्चा माल तथा मसहयक उत्पाद जो काम में लाया गया।	Date of weekly Examination with result (fit/unfit) साप्ताहिक डाक्टर की परीक्षा की तिथि परिणाम सहित (उपयुक्त / अनुपयुक्त)					Note of Symptoms लक्षण	Signature of Registered Medical Practitioner डाक्टर के हस्ताक्षर	
235		Mr. Kuldeep Singh S/o Suresh Chand Yadav		01.03.2024				CVS&RP	ENT	9	ENT	Vision	General	FT	
								NAD	NAD	NAD	NAD	Normal	NAD	FT	
236		Mr. Ravi Kumar S/o Munshi Ram		08.03.2024								Normal	NAD	FT	
								NAD	NAD	NAD	NAD	Normal	NAD	FT	
237		Mr. Sunil Panwar S/o Indar Singh Panwar		19.03.2024								Normal	NAD	FT	
								NAD	NAD	NAD	NAD	Normal	NAD	FT	
238		Mr. Vibhash Kumar S/o Fuleshwar Ray		20.03.2024								Normal	NAD	FT	
								NAD	NAD	NAD	NAD	Normal	NAD	FT	
239		Mr. Harendra Prasad S/o Totaram Prasad		20.03.2024								Normal	NAD	FT	
								NAD	NAD	NAD	NAD	Normal	NAD	FT	
240		Mr. Ramakshatr S/o Ramayan		20.03.2024								Normal	NAD	FT	
								NAD	NAD	NAD	NAD	Normal	NAD	FT	
241		Mr. Ashish Singh S/o Raghunandan Singh		20.03.2024								Normal	NAD	FT	
								NAD	NAD	NAD	NAD	Normal	NAD	FT	
242		Mr. Samir S/o Harilal Prasad		20.03.2024								Normal	NAD	FT	
								NAD	NAD	NAD	NAD	Normal	NAD	FT	
243		Mr. Vineet S/o Raju Mahammed		20.03.2024								Normal	NAD	FT	
								NAD	NAD	NAD	NAD	Normal	NAD	FT	

Manoj Kumar
 Medical Officer
 C.H.C. Tapukara
 Distt. Alwar (Raj.)

Health REGISTER

FORM
 PRESCRIBED UNDER

In respect of person employed in occupations declared to be

Name of Certifying Surgeon

(a) Mr. Dr. Manoj Kumar

(b) Mr. _____

From June - 2024 To _____

From _____ To _____

Serial No. क्रमांक	Deptt / Works विभाग / कार्य	Name of Worker कार्यकर्ता का नाम	Age at last birthday आयु गत वर्ष तिथि पर	Date of employment in present work नियुक्ति की तिथि	Date of employment transfer with reasons for discharge or transfer कार्य छोड़ने या स्थानान्तरण की तिथि (किस कारण से स्थानान्तरण या अलग किया गया)	Nature of job or Occupation कार्य की वृत्ति	Raw Material of by Products handled कच्चा माल तथा सहायक उत्पादन जो काम में लाया गया।
1	2	3	4	5	6	7	8
262.		Mr. Lava Kush S/o Gyan Singh		15.05.2024			
263.		Mr. Yar Mohammad Ansari S/o Tauvav Ansari		16.05.2024			
264.		Mr. Miss Baul Haque Ansari S/o Alam Ansari		16.05.2024			
265.		Mr. Manish Chaudhary S/o Rajvansh Chaudhary		18.05.2024			
266.		Mr. Sombir S/o Rajbir		19.05.2024			
267.		Mr. Vishal Kumar S/o Puleswar Ray		19.05.2024			
268.		Mr. Vikram Singh Rathore S/o Goverdhan Singh Rathore		19.05.2024			
269.		Mr. Munesh Legu S/o Bhiya Ram		19.05.2024			
270.		Mr. Sunil Kumar Nayak S/o Sachendra Nath Nayak		19.05.2024			

No. 19
 (Rule 14)

स्वास्थ्य रजिस्टर

GANESH
 STATIONERS

dangerous operations under section 87)

(c) Mr. _____

From _____ To _____

Date of weekly Examination with result (fit/unfit)
 साप्ताहिक डाक्टरों परीक्षा की तिथि परिणाम सहित (उपयुक्त / अनुपयुक्त)

Date of weekly Examination with result (fit/unfit) साप्ताहिक डाक्टरों परीक्षा की तिथि परिणाम सहित (उपयुक्त / अनुपयुक्त)					Note of Symptoms लक्षण	Signature of Registered Medical Practitioner डाक्टरों के हस्ताक्षर
10	11	12	13	14	10	11
DIS R P	ENT	ENT	VISION	General		
NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	Normal	NAD	FT	

Manoj Kumar
 Medical Officer
 C.H.C. Tapukara
 Distt. Alwar (Raj.)

FORM Health REGISTER PRESCRIBED UNDER

In respect of person employed in occupations declared to be

Name of Certifying Surgeon

(a) Mr. Dr. Manoj Kumar
 From June-2024 To _____

(b) Mr. _____
 From _____ To _____

No. 19
 (Rule 14)

dangerous operations under section 87)

(c) Mr. _____
 From _____ To _____

स्वास्थ्य रजिस्टर

GANESH
 STATIONERS

Serial No. क्रमांक	Deptt./Works विभाग / कार्य	Name of Worker कार्यकर्ता का नाम	Age at last birthday आयु पाठ जन्म तिथि पर	Date of employment in present work नियुक्ति की तिथि	Date of employment transfer with reasons for discharge or transfer कार्य छोड़ने या स्थानान्तरण की तिथि (किस कारण से स्थानान्तरण या अलग किया गया)	Nature of job or Occupation कार्य की वृत्ति	Raw Material of by Products handled कच्चा माल तथा साहचरक उपकरण जो काम में लाया गया।
271.		Mr. Rahul Sharma S/o Mukesh Sharma		21.05.2024			
272.		Mr. Shyam Singh Shekhawat S/o Kesar Singh Shekhawat		21.05.2024			
273.		Miss Aisha Gujjar S/o Kishanlal Gujjar		21.05.2024			
274.		Mr. Sachin Churjari S/o Durgu Prasad Churjari		22.05.2024			
275.		Mr. Ashok S/o Ganga Ram		22.05.2024			
276.		Mr. Ravi Shankar Sharma S/o Daya Shankar Sharma		23.05.2024			
277.		Mr. Rajendra Singh Rajput S/o Sumera Singh Rajput		22.05.2024			
278.		Mr. Banti S/o Dhan Singh		24.05.2024			
279.		Mr. Vipin Kumar S/o Rajesh Kumar		28.05.2024			

Date of weekly Examination with result (fit/unfit) साप्ताहिक डाक्टरों परीक्षा की तिथि परिणाम सहित (उपयुक्त / अनुपयुक्त)						Note of Symptoms लक्षण	Signature of Registered Medical Practitioner डाक्टर के हस्ताक्षर
CVS BRP	CGT	9	EAT	Vision	General	10	11
NAD	NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	NAD	Normal	NAD	FT	
NAD	NAD	NAD	NAD	Normal	NAD	FT	

Manoj Kumar
 Medical Officer
 C.H.C. Tapukara
 Distt. Alwar (Raj.)

FORM Health REGISTER Prescribed Under

In respect of person employed in occupations declared to be

Name of Certifying Surgeon

(a) Mr. Dr. Manoj Kumar

(b) Mr. _____
 From _____ To _____

From June 2024 To _____

Serial No. क्रमांक	Deptt / Works विभाग / कार्य	Name of Worker कार्यकर्ता का नाम	Age at last birthday आवृत्त अवयव तिथि पर	Date of employment in present work नियुक्ति की तिथि	Date of employment transfer with reasons for discharge or transfer कार्य छोड़ने या स्थानान्तरण की तिथि (किस कारण से स्थानान्तरण या अलग किया गया)	Nature of job or Occupation कार्य की वृत्ति	Raw Material of by Products handled कच्चा माल तथा सहायक उत्पादन जो काम में लाया गया।
1	2	3	4	5	6	7	8
280.		Mr. Shivam Tiwari s/o Tribhuvan Nath Tiwari		28.05.2024			
281.		Mr. Yudhister		02.05.2024			

No. 19
 (Rule 14)

dangerous operations under section 87)

स्वास्थ्य रजिस्टर

GANESH STATIONERS

Date of weekly Examination with result (fit/unfit) साप्ताहिक डाक्टर की परीक्षा की तिथि परिणाम सहित (अनुपयुक्त / अनुपयुक्त)										Note of Symptoms लक्षण	Signature of Registered Medical Practitioner डाक्टर के हस्ताक्षर				
1	2	3	4	5	6	7	8	9	10	11					
								CVS, BP	ENT	9	ENT	Vision	General	10	11
								NAD	NAD	NAD	NAD	Normal	NAD	FT	
								NAD	NAD	NAD	NAD	E glasses eyes vision 6/6	NAD	FT	

(Signature)
 Medical Officer
 C.H.C. Tapukara
 Distt. Alwar (Raj.)

Photographs of CSR Activities

Annexure-XI



White-wash of school building of Govt. Primary School, Aasin ki Dhani, Dhiryawas



Providing printer to Govt. Primary School, Aasin ki Installation of Submersible Pump at Govt. Primary School, Aasin ki Dhani, Dhiryawas



Installation of Submersible Pump at Govt. Primary School, Aasin ki Dhani, Dhiryawas

Photographs of CSR Activities



Opening Of Women Sewing Training Center

Photographs of CSR Activities



○○○○○

Samsung Quad Camera
Shot with my Galaxy M31

Photographs of CSR Activities



Photographs of CSR Activities



CER योजना के अन्तर्गत राजकीय प्राथमिक विद्यालय अमरसिंह की ढाणी धीरियावास (तिजारा) खैरथल - तिजारा में विद्यालय भवन में रंग-रोगन एवं पेन्ट का कार्य SBF ISPAT PVT. LTD. के सौजन्य से सत्र: 2023-24 में कराया गया !

SBF

RAPiD >>>



TMT

Strong Build Forever

Photographs of CSR Activities

CER योजना के अन्तर्गत राजकीय प्राथमिक विधालय बसई (तिजारा) खैरथल-तिजारा में विधालय भवन में रंग रोगन एवं पेन्ट का कार्य

SBF ISPAT PVT. LTD. के सौजन्य से
सत्र: 2023-24 में कराया गया !

SBF
RAPiD >>>

 TMT
Strong Build Forever

कार्यालय सामुदायिक स्वास्थ्य अधिकारी प्रभारी

राजकीय हैल्थ एण्ड वेलनेस सेंटर, कमालपुर ब्लॉक तिजारा

क्रमांक.....

दिनांक 23-06-2023

प्रमाणित किया जाता है कि SBF इम्प्रात प्रा. लि. इण्डस्ट्रीज कारीगा
कारोली टपुकड़ा द्वारा स्थानीय राजकीय हैल्थ एण्ड वेलनेस
सेंटर, कमालपुर ब्लॉक तिजारा से, पैसेंट वेड, स्कूल,
डॉक्टर कुर्सी, डॉक्टर सेज जिसकी लागत 29232/- रूपय व
दवाईया रखने के लिए फ्रोज जिसकी लागत 13940/- रूपय व
कुलर जिसकी लागत 5499/- रूपय व दवाईया रखने के लिए
एक अलमारी जिसकी लागत 4366/- रूपय है और एक
इन्वर्टर, बैट्री जिसकी लागत 15354/- रूपय व तीन
पंखे जिसकी लागत 4248/- रूपय है।

कुल लागत:- 73239/- रूपय है। शब्देन तिहत्तर हजार
दो सौ उनतालीस रूपय मात्र खर्च किए गए।

इनके इस कुशल कार्य विध्मान को सराहना करते हुए यह
योग्यता प्रमाण पत्र आज दिनांक 23-06-2023 को हैल्थ एण्ड
वेलनेस सेंटर, परिवार द्वारा प्रदान किया जाता है।

—Sindhra yoj

सामुदायिक स्वा० अधिकारी प्रभारी
राजकीय स्वास्थ्य कल्याण केन्द्र
कमालपुर (तिजारा)

BREAKING NEWS



24/MAY/2023

संवाददाता : जोगेंद्र गुजराल, टपूकड़ा



सामाजिक सरोकार के तहत
एस बी एफ इस्पत प्राइवेट
लिमिटेड कारोली द्वारा कमालपुर
(टपूकड़ा) उपस्वास्थ्य केंद्र को
आवश्यक उपकरण भेंट किए।

Radiant Channel no. 257 | WHATSAPP NUMBER- 9672222443

व्यवसायिक
भूखण्ड / दुकान मात्र **4.90** लाख रुपये
GST Extra

9649543632
8619627259

Kirad Real Estate Pvt. Ltd.

M/s SBF Ispat Private Limited., has a well-defined policy to keep the Environment clean and green. The company has decided that all effective steps shall be taken to ensure that flow of information from working level to top level should flow in a smooth and coordinated manner, so that in case any deficiency is noted, it is brought to the notice of top management and preventive and corrective action is initiated in a systematic manner

Resolution: **M/s SBF Ispat Private Limited.,** at Plot No. F-109-117& G-143-151 (Karoli Industrial Area) Village-Tapukara, Tehsil- Tijara, District-Alwar, Rajasthan. with the following objectives-

M/s SBF Ispat Private Limited., is committed to:-

- ❖ Follow the National laws and regulations related to Environment Protection and Prevention & Control of Pollution.
- ❖ Design, construct and operate the plant by adopting technology and process that are sustainable and environmentally acceptable in the country.
- ❖ Adoption of State of the Art technology for prevention and control of impacts.
- ❖ Take steps to prevent, minimize and control releases to air, water and land of substances which could adversely affect human health and the environment.
- ❖ Operate facilities and conduct activities taking into consideration the efficient use of natural resources.
- ❖ Provide and maintain healthy and safe working condition for all employees.
- ❖ Ensure the protection of the health and safety of workers.
- ❖ Adopt measures to ensure that all its contractors and business associates also comply with National laws and regulations related to Environment & Control of Pollution.
- ❖ Focus on continual improvement of environmental performance and ensure involvement of employees at all levels by providing training & awareness.

For effective and efficient implementation of Environment Policy, Company shall:-

- ❖ Ensure the allocation of sufficient financial, human and technological resources along with organizational infrastructure for its implementation.
- ❖ Prepare and maintain site specific, list of all the applicable regulations legal records, compliance requirements and compliance status.
- ❖ Develop and implement innovative processes focused on reducing consumption of energy and water and minimizing quantity of waste dispose.
- ❖ Review facilities and programs on a regular basis and establish monitorable targets, quantified as appropriate for continual improvement of our environmental performance.




- ❖ As far as practicable, purchase products and services that will have minimum impact on the environment.
- ❖ Communicate the environmental commitment and performance of the organization to the stakeholders.
- ❖ Establish an organizational structure to oversee the effective implementation of corporate environment policy. Define key responsibilities with the various levels of organization for policy implementation.

Hierarchy to implement environment Policy

SBFIPL is responsible for implementation of all the mitigation and management measures suggested in Environmental Monitoring Program. A separate department "Environmental Management Cell" (EMC) has been established in SBFIPL to look after all environmental related matters of the plant. The EMC will supervise the reported activity from time to time for smooth implementation of Environmental Mitigation and Management measures and will take necessary actions if required. The cell will act to ensure the suitability, adequacy and effectiveness of the Environment Management Program. It will also ensure to meet all the Statutory Requirements.

System of Reporting Environmental Non-Compliances/Violations To The Board Of Directors are shown below:-



जन्म शोभायात्रा आज, 48 सोसायटियों भिन्न समाजों के लोग होंगे शामिल

मोत्सव समिति की शहर में राम जन्म काली जाणी। शाल रूप देने के चल रही तैयारियों अंतिम रूप दिया समिति के अध्यक्ष सचिव सुधीर सिंह ने बताया कि शोभायात्रा ली विहार से शुरू कर, गौव पथ, श्रीबास, अलवर हि कॉलोनी से ड पहुंचेगी जहां जगिरी महाराज व



भिवानी. बैठक के दौरान मौजूद जन्मोत्सव समिति के पदाधिकारी। अन्य वक्ता संबोधित करेंगे। शोभायात्रा में भगवान की राम की सबसे बड़ी झांकी होगी। शहर व टपूकड़ा सहित आसपास की करीब 48 आवासीय सोसायटियों के लोगों की इसमें भागीदारी रहेगी। इस दौरान समिति के अध्यक्ष डॉ. रूप सिंह, सचिव सुधीर सिंह ठाकरान,

देसी कट्टा व दो जिंदा कारतूस जब्त, तीन युवक गिरफ्तार

बड़ौदामेवा| कस्बा पुलिस ने एक देसी कट्टा व दो जिंदा कारतूस जब्त कर तीन आरोपी अहमद पुत्र नसरु मेव उम्र 25 साल, शौकीन पुत्र इसरा मेव उम्र 22 साल निवासी भंडारा थाना जुहरा जिला भरतपुर तथा जमशेद पुत्र दीनू मेव उम्र 22 साल निवासी घूसिंगा थाना जुहरा जिला भरतपुर को गिरफ्तार किया है। थानाधिकारी हितेश शर्मा ने बताया कि मुखबिर से सूचना पर दिल्ली-मुंबई हाईवे शीतल पुलिस के नीचे से गिरफ्तार तीनों आरोपियों के बाद से देसी कट्टा व कारतूस के अलावा 2.58 लाख रुपए नगद, एक सोने के पीले रंग जैसी ईट, एक लोहे की छेनी, छह मोबाइल व एक गाड़ी भी बरामद की गई है।

सरपंच ने हटवाया आबादी क्षेत्र में अतिक्रमण

भास्कर न्यूज | किशोरी कस्बे के समीपवर्ती गांव सूरतगढ़ व नीमाला गुवाड़ा में बुधवार को ग्राम पंचायत क्यारा सरपंच छोटेलाल मीना ने प्रशासन व पुलिस जापते के सहयोग से आबादी क्षेत्र में 2 जेसीबी की सहायता से चिन्हित किए गए अतिक्रमण को हटवाया। इस दौरान थानागाजी नायब तहसीलदार अनुरुद्ध सिंह, थानाधिकारी रामजीलाल मीना, प्रतापगढ़ थानाधिकारी राजवीर सिंह मय जापते व अलवर पुलिस लाइन का जापता मौजूद रहा। सरपंच छोटेलाल मीना ने बताया कि सूरतगढ़ में इससे पूर्व 23 फरवरी को अतिक्रमण हटवाया गया था। उस दौरान जापते के अभाव व विवाद की आशंका के चलते आबादी क्षेत्र में कुछ स्थानों पर अतिक्रमण रह गया था। आबादी



हटाने पर आज प्रशासन व पुलिस की मौजूदगी में ग्राम पंचायत क्यारा ने समझाइस कर 2 जेसीबी की सहायता से सूरतगढ़ में पुराने सरकारी भवन से नए सरकारी भवन तक रास्ते में से जेसीबी की सहायता से कच्ची-पक्की दीवार व एक दुकान हटवाई। वहीं नीमाला मगर उनके द्वारा अतिक्रमण नहीं

अतिक्रमण हटवाया गया। थानागाजी नायब तहसीलदार अनुरुद्ध सिंह ने बताया कि क्यारा ग्राम पंचायत सरपंच छोटेलाल मीना ने सूरतगढ़, नीमाला गुवाड़ा में आम रास्ते से अतिक्रमण हटवाने के लिए पुलिस जापता व प्रशासन का सहयोग मांगा था। जिसके बाद मौके पर रहकर आमजन से समझाइस कर जेसीबी की मदद से अतिक्रमण हटवाया गया। पीडब्ल्यूडी के कनिष्ठ अभियंता मनीष धार ने बताया कि पीडब्ल्यूडी द्वारा सूरतगढ़ में आबादी क्षेत्र में 55 लाख रुपये की लागत से 1 किलोमीटर सीसी सड़क का निर्माण कार्य कराया जा रहा है। इस अवसर पर नायब तहसीलदार अनुरुद्ध सिंह, क्यारा ग्राम पंचायत सरपंच छोटेलाल मीना, कानूनगो कजोड़मल बुनकर, पटवारी राकेश मीना सहित बड़ी संख्या में ग्रामीण मौजूद रहे।

संदेश/ तीये की बैठक

तीये की बैठक अर्थात् दूध के साथ सूचित किया जाता है कि हमारे पृथ्वीय श्री अनिल कान्त जी भट्ट (Rtd. AEN- JVVNL) का स्वर्गवास दिनांक 28.03.2023 को हो गया है। जिनकी तीये की बैठक दि. 30.03.2023 को पुरुषार्थी धर्मशाला स्क्रीम-2 अलवर में दोपहर 3 बजे से 4 बजे तक रखी गई है।

बूथ सशक्तिकरण अभियान की कार्यशाला का आयोजन



टपूकड़ा। कार्यशाला के दौरान दीप प्रज्वलित करते भाजपा पदाधिकारी। टपूकड़ा। कस्बे में भाजपा कार्यकर्ताओं की बूथ सशक्तिकरण अभियान की कार्यशाला का आयोजन हुआ। अध्यक्षता भाजपा अलवर उत्तर जिला अध्यक्ष उम्मेद भाया ने की और पार्टी की संगठनात्मक बातों पर प्रकाश डाला। विधानसभा विस्तारक दिनेश जोशी ने अभियान के बारे में बताया। जिला उपाध्यक्ष हर्ष यादव ने डाटा प्रबंधन के बारे में बताया। इस दौरान जिला महामंत्री संदीप दायमा, प्र. उपाध्यक्ष अल्पसंख्यक अय्यब खान, महिला मोर्चा जिलाध्यक्ष चित्रा शर्मा, युवा मोर्चा जिलाध्यक्ष अभय सिंह, जिला अल्पसंख्यक मोर्चा सहसहृददीन, मंडल अध्यक्ष ओमबीर सिंह चौहान, पवन चौहान, नेहा गोयल, कंचन तिवारी, शीला चौहान, करुणा शर्मा आदि मौजूद रहे।

दुष्कर्म का तीसरा आरोपी गिरफ्तार

बड़ौदामेवा| नाबालिग का अपहरण कर ले जाने और दुष्कर्म मामले में पुलिस ने एक और आरोपी अनिल पुत्र रामप्रसाद बलाई उम्र 20 साल निवासी सेमली को गिरफ्तार किया है। थानाधिकारी ने बताया कि थाना क्षेत्र के परिवारी ने 16 मई को इस संबंध में मामला दर्ज कराया था। थानाधिकारी ने बताया कि प्रकरण में दो आरोपियों को पूर्व में ही गिरफ्तार किया जा चुका है।

चित्रकला व राजस्थानी नृत्य प्रतियोगिता का आयोजन



टपूकड़ा। राजस्थानी परिधान में बालिकाएं। भास्कर न्यूज | टपूकड़ा नृत्य में वंदना, मीनाक्षी, श्रेया, अलका, स्नेहा ग्रुप ने प्रथम स्थान प्राप्त किया। संस्था प्रधान नीलम यादव ने विजेताओं को पुरस्कार देकर सम्मानित किया। इस दौरान कृष्णा कटारिया, रजनेश, सावित्री, कमला, आरती, शीतल, केबी, विनोद, सत्यप्रकाश आदि मौजूद रहे। कस्बे के राजकीय बालिका उमावि में चित्रकला व राजस्थानी नृत्य प्रतियोगिता का आयोजन हुआ। चित्रकला में मिताली, इशिका, दीपिका, आस्था ने क्रमशः प्रथम, द्वितीय, तृतीय व सात्वना पुरस्कार प्राप्त किया।

गोवंश से भरा मिनी ट्रक खड़ा मिला, दो मृत मिले

गढ़ीसवाई। कस्बे के समीप ग्राम अन्तापाड़ा में बुधवार सुबह एक गांवों से भरा मिनी ट्रक पुलिस को लावारिस हालत में खड़ा मिला। गढ़ीसवाई चौकी इंचार्ज रमेश मीना ने बताया कि बुधवार सुबह सूचना मिली कि अन्तापाड़ा जोहड़ के पास एक गांवों से भरी गाड़ी लावारिस हालत में खड़ी है। मौके पर जा कर देखा तो उसमें दस गाये बंधी पड़ी हुई थीं। जबकि गौ तस्कर फरार हो चुके हैं। मामला लक्ष्मणगढ़ थाना इलाके का होने के कारण थानाधिकारी लक्ष्मणगढ़ और कंट्रोलरूम सूचना दी गई। सूचना मिलते ही थानाधिकारी लक्ष्मणगढ़ अन्तापाड़ा पहुंचे और मौके पर पहुंचे और गांवों को ग्रामीणों की मदद से नीचे उतरवाया। दस गावों में से दो गाये मृत मिली तथा शेष आठ गावों को गढ़ीसवाई गोशाला पहुंचा दिया गया। दो मृत गावों का पोस्टमार्टम करवा कर अंतिम संस्कार करा दिया गया। थानाधिकारी ने बताया कि मामले की जांच कर कार्रवाई की जाएगी।

आस्कर CLASSIFIED

Sunrise University
BAGAD RAJPUT, ALWAR
https://www.sunriseuniversity.in/
WE ARE HIRING
Open Positions:-
• BUSINESS DEVELOPMENT MANAGER
• BUSINESS RELATIONSHIP MANAGER
Qualifications:-
• GRADUATE FROM ANY DISCIPLINE
• STRONG COMMUNICATION SKILLS - ENGLISH AND HINDI
Interview Venue: Gaurav ITI College, Near Talco Circle, Alwar
Interview Date:- 02-03 April 2023
Timing:- 11:00 AM to 04:00 PM
kanhaiya@sunriseuniversity.in
7976148017, 8955007933

आवश्यकता- फीलड ऑफिसर, प्रिंसिपल, अध्यापक (नर्सरी to 10th) (कोम्पिटिशन सभी विषयों के लिए), 8104534158, 8696677600, किशनगढ़ बास

JSA School (English)
Medium) Required Nursery, KG, Class 5-8 Hindi, Sanskrit, S.St, Math, Science, Computer- Katighati, Jaipur Road, Alwar, 7014502528

Euro Kids School
E-331, Ambedkar Nagar, Alwar | M.: 7340047109
Admission Open P.G. to 5th
Walk in Interview
Teachers (Pre Primary/Primary) Female
Qualification Graduate/Post Graduate With B.Ed
ड्राईवर, वाई जी, गार्ड

Apoorva Public Sec. Sec. School
Near Mela Circle kirti Nagar Station Road Rajgarh
Mobil. No.- 9414428085, 8209675827 (WhatsApp)
Required 2023-24 (Both Medium)

P.G.T. physics, chemistry, Maths, Biology, geography, Pol.science, History, Drawing, Hindi, English
T.G.T. All Subjects, English spoken Teachers

Required
1. Purchase Manager - 1
2. Purchase Executive - 3
3. Manager - Commercial and HR - 1 (With min 5 year exp. in industry)
4. Store Manager - 1 (With min 5 year exp. in industry)
5. Store Executive - 3
Please send Biodata by email to: hr@shashiphyto.com and office02@shashiphyto.in
Any Query: Call: 72300-52119 between 12 to 3 pm
SHASHI PHYTOCHEMICAL INDUSTRIES
329, DELHI ROAD, NEAR JS FOURWHEEL, ALWAR

प्लॉट
नवरत्नि ऑफिस प्लॉट खरीदें पर पाए निश्चित उपहार RTO ऑफिस के पास हाईवे रोड पर कवर्ड सोसायटी में प्लॉट व दुकान खरीदने का सुनहरा मौका प्लॉट 3.5 लाख से शुरू संपर्क 9928351200, 8000971113, 9509982221

कॉमर्शियल-फॉर सेल
COMMERCIAL-FOR SALE

दुकान
दुकानें/प्लॉट नियर क्लासिक टाटा मोटर्स हनुमान सर्फिल से पहले, शानदार मार्केट बीच में बड़ा एंटी रोड, कीमत 13lac (90A) 9887998464

अकाउन्टेन्टकर्मी
TANISHQ Required
Accountant Computer (Male/Female) (Tally) (Full time), Manual Accountant (M/F)
Tirupati Jewellers First Floor, 142 Alkapuri, Alwar, ravinderalwar@yahoo.com

Work From Home
अपने कंप्यूटर, लैपटॉप पर form fill करें, weekly payment (पार्टटाइम फुलटाइम जॉब)-

एगीकल्चर
8 बीघा 16 बिसवा कृषि भूमि, कलसाडा बाईपास से 200 मीटर अंदर बिकाऊ है संपर्क करें 9414240402, 8005510170

रैसीडेंशियल-सेल
RESIDENTIAL-FOR SALE

मल्टीस्टोरी

शिविर के तहत महाविद्यालय में श्रमदान किया

तिजारा। राजकीय महाविद्यालय में राष्ट्रीय सेवा योजना के तृतीय स्कू विद्यार्थी शिविरलागवा जिसमें प्राचार्य डॉ. ज्योति शर्मा ने दीप प्रज्वलित किया। सहायक आचार्य ऋषि मीणा ने स्वयंसेवकों को चरणबद्ध तरीके से विशिष्ट बनाते हुए सफलता प्राप्त करने के सूर्य बताए। एनएसएस कार्यक्रम अधिकारी मनोज कुमार राघव के निर्देशन में स्वयंसेवकों ने महाविद्यालय में श्रमदान किया। इस दौरान शौरभ, सुबेदार भूपसिंह, सुबेदार ओमप्रकाश, हरिंकर गुप्ता, विजेंद्र सिंह, योगेश शर्मा आदि मौजूद रहे।



तिजारा. श्रमदान करते स्वयं सेवक।

अवैध कब्जे को लेकर तहसील गेट पर धरने पर बैठे ग्रामीण

लक्ष्मणगढ़ क्षेत्र के ग्राम हसनपुर में दलित समाज के एक दर्जन महिला-पुरुष अपनी निजी आवासीय जमीन पर गांव के ही दूसरे प्रभावशाली लोगों द्वारा अवैध रूप से कब्जा करने तथा स्थानीय प्रशासन द्वारा सुध नहीं लेने पर देर शाम तहसील कार्यालय के गेट के सामने धरने पर बैठ गए थे। इन लोगों का धरना बुधवार को दूसरे दिन भी जारी रहा। पीडित रामधन ने बताया कि उसने एक बीघा तीन छेला जमीन 8 दिसंबर 1983 को हसनाना निवासी श्री लाल सिद्ध से खरीद की गई थी। इस दौरान गांव में माता-पिता रहते थे। माता-पिता की मृत्यु के बाद नुक्ता करके दिल्ली चला गया। इस दौरान नरपत वीरा द्वारा 27 अक्टूबर 2022 को जमीन पर कब्जा कर लिया गया।

दैनिक भास्कर को एजेन्सी देनी है चौपानकी, ईशरोदा क्षेत्र मे अखबार के एजेंट व संवाददाता की आवश्यकता की आवश्यकता

एस बी एफ इस्पत प्राईवेट लिमिटेड
प्लॉट नं० एफ-109-117 & जी 143-151 रीको इन्डस्ट्रियल परिया कारोली (टपूकड़ा) जिला अलवर (राज0)

सार्वजनिक सूचना
सभी नागरिकों को सूचित किया जाता है कि मैं एस बी एफ इस्पत प्राईवेट लिमिटेड कारोली टपूकड़ा को MOEF DELHI द्वारा पर्यावरण स्वीकृति (विस्तार) दिनांक 16.03.2023 को EC No: EC23A008R/167160 के द्वारा जारी की गई है। पर्यावरण स्वीकृति (विस्तार) की समस्त शर्तों को कम्पनी की वेब साईट www.sbfrapid.com एवम MOEF की वेब साईट पर देखा जा सकता है।

एस बी एफ इस्पात प्राईवेट लिमिटेड

प्लाट न० एफ- 109-117 &

जी 143-151 रीको इन्डस्ट्रियल एरिया
कारौली (टपूकडा) जिला अलवर (राज०)

सार्वजनिक सूचना

सभी नागरिकों को सूचित किया जाता है कि मैं एस बी एफ इस्पात प्राईवेट लिमिटेड कारौली टपूकडा को MOEF DELHI द्वारा पर्यावरण स्वीकृति (विस्तार) दिनांक 16.03.2023 को EC No:- EC23A008RJ167160 के द्वारा जारी की गई है। पर्यावरण स्वीकृति (विस्तार) की समस्त शर्तों को कम्पनी की वेब साइट www.sbfrapid.com एवम MOEF की वेब साइट पर देखा जा सकता है।

To

The sarpanch

Gram panchayat

Kamalpur (Tijara)

Alwar, Rajasthan

Date- 11-04-2023

Subject:- Submission copy of Environment Clearance.

Dear Sir,

We would like to inform you that MOEF has issued Environment Clearance (EC23A008RJ167160) the department instructed us to submit the copy of the same to the concerned Gram panchayat.

The terms & condition of the EC are available on the site of the company (www.sbfrapid.com) & on the MOEF site.

It is for your information & please take the necessary action accordingly.

For SBF Ispat Pvt. Ltd.



(Authorized Signatory)